



years with  
the Contractors

# Tools catalog

**Kubala®**

2022



# 1

## BUILDING TOOLS

STYROPOR FLOATS	8
PLASTIC FLOATS	9
Sponge	18
ABRASIVE FLOATS AND TOOLS	19
STAINLESS STEEL TROWELS	24
FINISHING TOOLS	34
SPATULAS	36
MASONRY TROWELS	44
SCAPERS	50
TOOLS FOR CELLULAR CONCRETE	55
STIRRERS	57
CONTAINERS	61
VENTING SPIKED ROLLER	65
OTHER TOOLS	68
GLAZING TOOLS SMART	71
ECO LINE	76



# 2

## PAINTING TOOLS

PAINTBRUSHES	80
PAINT ROLLERS	84
PAINT ACCESSORIES	89
PROTECTIVE FOIL	92

# 3

## EXPOSITION SYSTEMS



## About us

We have been **operating** since 1987, when Roman Kubala, the chairman of Kubala, produced the first manual construction tools under the Kubala brand.

We **are** a family company, the winner of the Forbes Most Valuable Family Companies ranking for those who increase their value and at the same time "do it in an honest and transparent manner".

We **design** manual construction tools with the comfort, safety, and convenience of the Contractors in mind. We are the authors of 3 inventions, 2 trademarks, 10 industrial designs, 13 utility models, and 46 Community designs.

We **manufacture** tools in Ustroń in an assortment of over 700 products and deliver them to Contractors in Europe, North America, Africa, Australia, and Asia.

We **introduce** the best available technical and technological solutions by investing in educating our employees, modern machinery and improving the quality control system of our products.

We **know** how valuable the Contractors' time is and how important the quality of their work is. The result of these elements is economic success, which gives the Contractor the basis for a peaceful and happy life. That is why, in our tools, we use the best solutions and materials that guarantee quality, durability, ergonomics and work precision.

We **focus** on the needs of the Contractors, which is why we test tools together with them before introducing them for sale. We make sure that the Contractors receive tools that meet the rapid changes in finishing technology and construction chemicals as well as the high expectations of investors.

We **meet** the Contractors in person during workshops, presentations and tests organized by our traders and instructors. Our company's sales department consists of real people, happy to answer any Contractors' questions in person, by phone and e-mail.

We **communicate** with contractors in the virtual space through the website and social media. We use our own sales platforms, distributors, and commercial network to save the Contractor's time as much as possible.

We **dare** to use the Contractors' knowledge and experience. We respect their opinions and take their views into account. We are constantly in dialogue with Contractors during workshops as part of our original Kubala MasterClass project, where we all exchange knowledge and experience.


We **achieve** success because we work diligently every day to earn and enjoy the trust of our Contractors.



1

PIGEL  
PIGEL

# BUILDING TOOLS



## STYROPOR FLOATS / PLASTIC FLOATS



### Styropor float

Paca tynkarska, Styropor Reibebrett

Hard styropor, bulk value after foaming: 200g/l,  
guarantees high durability and float's  
resistance to wearing.  
For plastering.

no.	dimensions	pcs.	ean
0101	140x260mm	1/10	
0102	140x500mm	1/5	
0103	140x700mm	1/5	
0104	140x1000mm	1/5	
0105	180x320mm	1/10	



### Styropor shutter float

Paca tynkarska szpaletowa, Styropor Fummelbrett "Halbspitz"

Hard styropor, bulk value after foaming: 200g/l,  
guarantees high durability and float's resistance to wearing.  
For plastering, including shutters.

no.	dimensions	pcs.	ean
0106	80x340mm	1/10	



### Styropor conic float

Paca tynkarska, stożkowa, Styropor Fummelbrett "Spitz"

Hard styropor, bulk value after foaming: 200g/l,  
guarantees high durability and float's resistance to wearing.  
For plastering in hard accessible places.

no.	dimensions	pcs.	ean
0107	180x320mm	1/10	



PS



### Plastic float, conic

Paca z tworzywa, stożkowa, Reibebrett für Kalkputz, "Spitz"

Plastic: PS.

Plate thickness: 2mm.

For decorative plastering of interiors.

no.	dimensions	pcs.	ean
0380	70x230mm	1/10	

### Plastic float, smooth

Paca z tworzywa do tynków, Reibe Brett, Kunststoff, glatt

Plastic: ABS – increased hardness of the working part.

Ergonomic, shaped and balanced handle.

Plate thickness: 3mm.

Ergonomic, shaped and balanced handle.

For smoothing and structuring of plasters.



no.	dimensions	pcs.	ean
0300	130x270mm	1/12	



### Plastic float, smooth

Paca z tworzywa do tynków, Reibe Brett, Kunststoff, glatt

Plastic: ABS - increased hardness of the working part.

Ergonomic and profiled 2K soft handle.

Plate thickness: 3mm.

For smoothing and structuring of plasters.



no.	dimensions	pcs.	ean
0375	130x270mm	1/12	



### Plastic float, smooth

Paca z tworzywa do tynków, Reibe Brett, Kunststoff, glatt

Plastic: PS.

Perfectly even working part of the trowel  
thanks to ultrasonic welding of the handle to the plate.

The float does not scratch the rubbed  
surface thanks to the rounded edges.

Ergonomic, shaped and balanced handle.

Plate thickness: 3mm.

For smoothing and structuring of plasters.



no.	dimensions	pcs.	ean
0301	130x270mm	1/12	



### Plastic float, smooth

Paca z tworzywa do tynków, Reibe Brett, Kunststoff, glatt

Plastic: PS - polystyrene.

Ergonomic, shaped and balanced handle.

Plate thickness: 3mm.

For smoothing and structuring of plasters.



no.	dimensions	pcs.	ean
0355	130x270mm	1/12	



## PLASTIC FLOATS



### Pointing float

Paca do spoinowania, Reibe Brett, Kunststoff, Gummibelag  
Pointing float, cut at sides in different angles for more precise joint filling in hard accessible places.  
For pointing with cement and epoxy joints.

no.	dimensions	pcs.	ean
0325	95x240mm	1/5	



### Rubber stripping knife

Szpacza gumowa, Fugengummi  
Plastic.  
Rubber cut at sides for the more precise joint filling in hard accessible places.  
For pointing with cement and epoxy welds.

no.	dimensions	pcs.	ean
0611	145mm	1/10	
0612	245mm	1/10	



### Pointing float

Paca do spoinowania, Reibe Brett, Kunststoff, Gummibelag  
Plastic.  
Ergonomic and profiled 2K soft grip.  
Float, cut at sides in different angles for more precise joint filling in hard accessible places.  
Two rounded corners.  
For pointing with cement and epoxy joints.

no.	dimensions	pcs.	ean
0370	95x240mm	1/5	

### Plastic float, smooth

Paca z tworzywa, gładka, Reibe Brett, Kunststoff, glatt  
Plastic: PS.  
Ergonomic, shaped and balanced handle.  
Plate thickness: 3mm (0305), 4mm (0307).  
Universal float for pads: rubber, sponge, felt.

no.	dimensions	pcs.	ean
0305	130x270mm	1/12	
0307	180x400mm	1/10	





## Plastic float with absorbing, incised sponge

Thanks to incisions it collects  
dirt from cleaned surface more easily



### Plastic float, smooth

Paca z tworzywa, gładka, Reiberett, Kunststoff, glatt

Plastic: ABS.

Ergonomic and profiled 2K soft handle.

Plate thickness: 4mm.

Universal float for pads: rubber, sponge, felt.



no.	dimensions	pcs.	ean
0381	130x270mm	1/12	



### Float with black and white fabric

Paca z białą i czarną włókniną, Reiberett, mit Schwarz- und Weißfaser

Plastic: ABS.

Ergonomic and profiled 2K soft handle.

Non woven fabric attached with Velcro, for cleaning and polishing of ceramic tiles, after epoxy weld pointing.

Complete set: Float, black fabric – hard and white – soft (0360).

Complete set: black fabric – hard and white – soft (0361).

Complete set: 2 x white fabric - soft (0362).

Complete set: 2 x black fabric - hard (0363).



no.	dimensions	pcs.	ean
0360	120x250mm	1/6	
0361	120x250mm	1/5	
0362	120x250mm	1/5	
0363	120x250mm	1/5	



0361

0362

0363

### Plastic float with felt

Paca z tworzywa z filcem, Reiberett, Kunststoff, Filzbelag

Plastic: ABS.

Ergonomic and profiled 2K soft handle.

Pad polishing felt (does not delaminate, does not swell), thickness: 6mm.

For smoothing of plasters.



no.	dimensions	pcs.	ean
0382	140x280mm	1/12	



### Plastic float with white rubber

Paca z tworzywa z gumą białą, Reiberett, Kunststoff, Gummibelag

Plastic: ABS.

Ergonomic and profiled 2K soft handle.

Pad: white rubber, thickness: 8mm.

For pointing.



no.	dimensions	pcs.	ean
0383	140x280mm	1/12	



## PLASTIC FLOATS



### Plastic float with black rubber

Paca z tworzywa z gumą czarną, Reibeblett, Kunststoff, Gummibelag  
Plastic: ABS.

Ergonomic and profiled 2K soft handle.  
Pad: Black rubber (does not crush, does not dirty the joint),  
thickness: 7mm.  
For pointing with a cement grout.

no.	dimensions	pcs.	ean
0374	140x280mm	1/12	



### Plastic float with dense sponge

Paca z tworzywa z gąbką, Reibeblett, Kunststoff, Schwammauflage  
Plastic: ABS.

Ergonomic and profiled 2K soft grip.  
Pad dense sponge, thickness: 20mm.  
For cleaning of plates after pointing.

no.	dimensions	pcs.	ean
0384	140x280mm	1/12	



### Plastic float with incised sponge

Paca z tworzywa z gąbką nacinaną, Reibeblett, Hydroschwammauflage  
Plastic: ABS.

Ergonomic and profiled 2K soft handle.  
Pad sponge with pores, dense, incised, thickness: 30mm.  
For cleaning of tiles after pointing. Thanks to incisions it collects  
dirt from cleaned surface more easily. It is recommended to press  
the float against rollers of the glazing bucket to drain out the water.  
For cleaning of tiles after pointing.

no.	dimensions	pcs.	ean
0387	140x280mm	1/12	



### Plastic float with coarse sponge

Paca z tworzywa z gąbką rzadką, Reibeblett, Kunststoff, Schwammauflage  
Plastic: ABS.

Ergonomic and profiled 2K soft grip.  
Pad coarse sponge, thickness: 20mm.  
For cleaning of tiles after pointing.

no.	dimensions	pcs.	ean
0385	140x280mm	1/12	

### Plastic float with rubber sponge

Paca z tworzywa z gąbką gumową, Reibeberett, Schwammauflage

Plastic: ABS.

Ergonomic and profiled 2K soft handle.

Base rubber sponge, natural rubber, thickness 20 mm.

For smoothing wet gypsum plasters.

no.	dimensions	pcs.	ean
0386	140x280mm	1/12	



### Plastic float with sparse sponge with pores

Paca z tworzywa z gąbką porową, Reibeberett, Kunststoff, Schwammauflage

Plastic: ABS.

Ergonomic and profiled 2K soft handle.

Pad sponge with combined pores, thickness: 30mm.

The combined pores guarantee increased sponge absorbability and better water release during pressing against rollers.

For cleaning of tiles after pointing.

no.	dimensions	pcs.	ean
0379	140x280mm	1/12	



### Plastic float with absorbing sponge

Paca z gąbką hydrochłonną, Reibeberett, Hydroschwammauflage

Plastic: ABS.

Ergonomic and profiled 2K soft grip.

Pad sweepex absorbing sponge, thickness: 30mm.

The combined pores guarantee increased absorbability of the sponge and better water release during pressing against the rollers.

For cleaning of tiles after pointing.

no.	dimensions	pcs.	ean
0388	140x280mm	1/12	



### Plastic float with absorbing, incised sponge

Paca z gąbką hydrochłonną nacinaną,  
Reibeberett, Hydroschwammauflage

Plastic: ABS.

Ergonomic and profiled 2K soft handle.

Pad sweepex absorbing sponge, thickness: 30mm.

Thanks to the incisions it collects dirt from the cleaned surface faster. It is recommended to press the trowel on rolls from the glazing bucket

For cleaning of plates after pointing.

no.	dimensions	pcs.	ean
0378	140x280mm	1/12	



## PLASTIC FLOATS



For perfect cleaning and shaping of both cement and epoxy joint fillers.  
High quality.

### Plastic float with cellulose sponge

Paca z tworzywa z gąbką celulozową, Reibe Brett, Celluloseschwamm  
Plastic: ABS.

Ergonomic and profiled 2K soft handle. It does not react with epoxy joint components, it does not cause joint discoloration.

Pad cellulose sponge, thickness: 28mm.

For perfect cleaning and shaping of both cement and epoxy joint fillers.

no.	dimensions	pcs.	ean
0377	140x280mm	1/12	



Ergonomic "soft" handle, perfectly fits the hand which guarantees a high comfort of work.



### Plastic float with dense sponge with pores

Paca z gąbką porową gęstą, Reibe Brett mit Schwamm, Kunststoff  
Plastic: ABS.

Ergonomic and profiled 2K soft handle.

Pad dense sponge with pores, thickness: 30mm.

For cleaning of tiles after pointing.

no.	dimensions	pcs.	ean
0389	140x280mm	1/12	



### Plastic float with truncated edge

Paca z gąbką ze ścinonym bokiem, Reibe Brett, Kunststoff, Schwammauflage  
Plastic: ABS.

Ergonomic and profiled 2K soft handle.

Pad dense sponge with the longer edge truncated, thickness: 40mm.

For cleaning of tiles after pointing,

does not leave streaks on the cleaned surface.

no.	dimensions	pcs.	ean
0350	130x290mm	1/12	



### Plastic float with rubber hard sponge

Paca z gąbką gumową twardą, Reibeberett mit Gummischwamm  
Plastic: ABS.

Ergonomic and profiled 2K soft handle.  
Pad hard rubber sponge, thickness: 20mm.  
For smoothing of cement and lime plasters.



no.	dimensions	pcs.	ean
0397	140x280mm	1/12	



### Plastic float with duren

Paca z dureinem, Reibeberett mit Durol-Einlage  
Plastic: ABS.

Ergonomic and profiled 2K soft handle.  
Pad duren: thickness: 20mm. In contrast to rubber sponges,  
duren absorbs and slowly releases water during the smoothing.  
For smoothing of cement and lime plasters.



no.	dimensions	pcs.	ean
0399	140x280mm	1/12	



### Articulated aluminium float with rubber sponge

Paca aluminiowa przegubowa z gąbką, Alugelenkreibeberett, Egalisette  
Plate made of aluminium with handle for telescopic stick  
installation. Pad natural rubber sponge, thickness: 20mm.  
For smoothing of wet gypsum plasters.



no.	dimensions	pcs.	ean
0331	200x400mm	1/5	
0332	140x280mm	1/10	
1600	200x400mm, float pad	1/20	



## PLASTIC FLOATS



0320



0310



0312



0311



0324



0309



### Plastic float with pad

Paca z tworzywa z podkładem, Reibeplättchen, Kunststoff

Plastic: PS.

Ergonomic and shaped handle.

Pad: white rubber, 8mm (0310), black rubber, 7mm (0320), polishing felt, 6mm (0309), coarse sponge, 20mm (0312), dense sponge, 20mm (0311), dense sponge with pores, incised, 30mm (0324), rubber sponge, 20mm (0313).

no.	dimensions	pcs.	ean
0310	140x280mm	1/12	
0320	140x280mm	1/12	
0309	140x280mm	1/12	
0312	140x280mm	1/12	
0311	140x280mm	1/12	
0324	140x280mm	1/12	
0313	140x280mm	1/12	
0313	140x280mm	1/12	



### Glazing sponge

Gąbka glazurnicza, Fliesenleger Handschwamm

Dense sponge (1680).

Absorbing sponge sweepex (1683).

Combined pores guarantee sponge's increased absorbability and better water release.

Dense sponge with pores (1684).

Hard sponge with combined pores (1689).

Combined pores guarantee sponge's increased absorbability and better water release.

For washing tiles after pointing.

no.	dimensions	pcs.	ean
1680	110x160x60mm	1/20	
1683	110x160x60mm	1/20	
1684	110x160x60mm	1/20	
1689	110x160x60mm	1/20	

1683



1684



1689



## Float pads



Podkłady do pac, Ersatzaflagen  
For floats: 0305, 0307, 0381.

no.	dimensions	pcs.	ean
1601	140x280mm dense sponge	1/20	
1602	140x280mm coarse sponge	1/20	
1603	140x280mm white rubber	1/20	
1604	140x280mm felt	1/20	
1607	140x280mm rubber sponge	1/20	
1608	140x280mm incised sponge	1/20	



1602



1603



1604



1607



1608



## Cellulose sponge



Gąbka celulozowa, Celluloseschwamm  
Ergonomic and reusable. High quality.  
For perfect cleaning and shaping of both  
cement and epoxy joint fillers.

no.	dimensions	pcs.	ean
1690	110x180x51mm	1/20	
1691	110x180x36mm	1/20	



## Abrasive sponge



Gąbka ścierna, Schleifschwamm  
For smoothing of gypsum surfaces.

no.	dimensions	pcs.	ean
9951	70x100x25mm gran. 40	1/12	
9952	70x100x25mm gran. 60	1/12	
9953	70x100x25mm gran. 80	1/12	
9954	70x100x25mm gran. 100	1/12	
9955	70x100x25mm gran. 120	1/12	
9956	70x100x25mm gran. 150	1/12	
9957	70x100x25mm gran. 180	1/12	
9958	70x100x25mm gran. 220	1/12	



## ABRASIVE TOOLS



### Abrasive sponge

Gąbka ścierna, Schleifschwamm  
For smoothing of gypsum surfaces.

no.	dimensions	pcs.	ean
9961	58/83x100x25mm gran. 40	1/12	
9962	58/83x100x25mm gran. 120	1/12	
9963	58/83x100x25mm gran. 220	1/12	
9964	58/83x100x25mm gran. 60	1/12	
9965	58/83x100x25mm gran. 100	1/12	
9966	58/83x100x25mm gran. 150	1/12	
9967	58/83x100x25mm gran. 180	1/12	



### Abrasive grid

Siatka szlifierska, Ersatzschleifgitter  
For abrasive floats. Usage: smoothing of gypsum surfaces.

no.	dimensions	pcs.	ean
1675	105x280mm gran. 60	1set=5 pcs	
1676	105x280mm gran. 80	1set=5 pcs	
1677	105x280mm gran. 100	1set=5 pcs	
1678	105x280mm gran. 120	1set=5 pcs	
1679	105x280mm gran. 150	1set=5 pcs	
1681	105x280mm gran. 180	1set=5 pcs	
1682	105x280mm gran. 200	1set=5 pcs	



**Kubala®**  
MASTER LINE



1616



20

### Abrasive float MASTER LINE

Paca szlifierska, Handschleifer

Plastic: PS.

Ergonomic, shaped three-component handle.  
Abrasive mesh or abrasive paper installed with wing bolts.  
Abrasive paper (1616). For levelling of surfaces during thermal insulation works, including mineral wool.

no.	dimensions	pcs.	ean
0322	200x495mm	1/10	
1616	200x600mm	1/10	

### Abrasive float

Paca szlifierska, Handschleifer

Plastic: PS.

Ergonomic and shaped handle.  
Rubber pad thickness: 3mm.  
Abrasive grid or abrasive paper installed with wing bolts.  
For smoothing of gypsum surfaces.

no.	dimensions	pcs.	ean
0326	105x210mm	1/20	

---

**Abrasive float**

Paca szlifierska, Handschleifer

Plastic: PS.

Ergonomic handle.

Rubber pad thickness: 3mm.

Abrasive grid installed with clamps.

For smoothing of gypsum surfaces.



no.	dimensions	pcs.	ean
0306	105x210mm	1/20	



---

**Abrasive float 'rasp-type'**

Paca szlifierska "tarnik", Handschleifer zum Anrauen

Plastic: PS.

Ergonomic and shaped handle.

Working part made of galvanised, perforated plate.

For levelling of styropor boards during thermal insulation works.



no.	dimensions	pcs.	ean
0321	180x400mm	1/10	



---

**Abrasive float 'rasp-type'**

Paca szlifierska "tarnik", Handschleifer zum Anrauen

Plastic: PS (0340), ABS (0335).

Ergonomic, shaped two-component handle.

Working part made of galvanised, perforated plate.

For levelling of styropor boards during thermal insulation works.



no.	dimensions	pcs.	ean
0335	130x270mm	1/20	
0340	160x380mm	1/10	



## ABRASIVE FLOATS



**Kubala®**  
MASTER LINE



**Kubala®**  
MASTER LINE



### Abrasive float 'rasp-type'

Paca szlifierska "tarnik" przelotowa, Handschleifer zum Anrauen  
Plastic: PS. Working part made of galvanised, perforated plate.

Ergonomic, shaped, two-component soft handle.

The perforated plate is in line with holes of the working part, what guarantees easy cleaning and longer durability of the tool. For thermal insulation works, including styropor boards.

no.	dimensions	pcs.	ean
0342	160x380mm	1/10	

### Abrasive float 'rasp-type'

Paca szlifierska "tarnik" przelotowa, Handschleifer zum Anrauen  
The whole tool made of plastic PS.

Ergonomic, shaped two-component soft handle.

The straight-through plate guarantees easy cleaning and longer durability of the tool.

For thermal insulation works, including styropor boards.

no.	dimensions	pcs.	ean
0341	165x365mm	1/10	

### Abrasive float 'rasp-type' MASTER LINE

Paca szlifierska "tarnik", Handschleifer zum Anrauen

Plastic PS - polystyrene. Working part made of galvanised, perforated plate. Hydraulically clamped float.

Ergonomic, shaped three-component soft handle.

The straight-through plate guarantees easy cleaning and longer durability of the tool. For levelling of styropor boards.

no.	dimensions	pcs.	ean
0344	130x270mm	1/20	
0343	160x380mm	1/10	
0345	180x400mm	1/10	

### Abrasive float 'rasp-type' MASTER LINE

Paca szlifierska "tarnik" przelotowa, Handschleifer zum Anrauen

Working part of the rasp is made of 1mm thick galvanized steel. Lack of a plastic plate causes increased throughput.

Reduced weight of the product is aimed at reducing the end-users workload during long hours of work.

Ergonomic, three-component handle fits perfectly in the hand, ensuring the highest comfort of work.

Tool does not rotate in hand, even when working in a glove.

no.	dimensions	pcs.	ean
0346	160x360mm	1/10	

# Abrasive float 'rasp-type' MASTER LINE, 0346



**MADE IN POLAND**  
Polish manufacturer from 1987



**THREE-COMPONENT HANDLE**  
Ensuring the highest comfort of work



**QUALITY GUARANTEE**  
Blades perfectly prepared  
to work with the material



**REGISTERED DESIGN**  
Submitted to the Polish Patent Office  
under the number W.127633



**WORKING PART THICKNESS**  
The use of thicker sheet metal extends  
the durability and rigidity of the working part



**STRAIGHT-THROUGH**  
Lack of a plastic plate causes  
increased throughput



**WEIGHT**  
Reduced weight of the product



## **Compliance with FSC guidelines**

**enables timber harvesting while maintaining  
the viability of forests and their biological richness.  
The FSC system is currently recognized  
as one of the most reliable among  
the existing forest resource certification systems.  
As the only system it is supported  
by major ecological organizations.**

## STAINLESS STEEL TROWELS

### **Stainless steel trowel**

Paca nierdzewna, Glättekelle, Edelstahl,

Ergonomic, balanced and shaped handle made of PS.

Stainless, acid resistant steel, thickness: 0,7mm.

For application of gypsum plaster, mortars and adhesives (0401).

Stainless steel trowel, notched (0402, 0403, 0404, 0405, 0406).

For distribution of adhesive mortars.

no.	dimensions	pcs.	ean
0401	130x270mm, smooth	1/10	
0402	130x270mm, notch 4x4	1/10	
0403	130x270mm, notch 6x6	1/10	
0404	130x270mm, notch 8x8	1/10	
0405	130x270mm, notch 10x10	1/10	
0406	130x270mm, notch 12x12	1/10	



0402  
0403  
0404  
0405  
0406

### **Stainless steel trowel**

Paca nierdzewna, Glättekelle, Edelstahl,

Ergonomic, balanced and shaped handle made of beech wood,  
varnished, jacking foot made by polyamide with fiberglass.

Stainless, acid resistant steel, thickness: 0,7mm.

For application of gypsum plaster, mortars and adhesives (0414).

Stainless steel trowel, notched (0414, 0416, 0417, 0418, 0419).

For distribution of adhesive mortars.

no.	dimensions	pcs.	ean
0414	130x270mm, smooth	1/10	
0415	130x270mm, notch 4x4	1/10	
0416	130x270mm, notch 6x6	1/10	
0417	130x270mm, notch 8x8	1/10	
0418	130x270mm, notch 10x10	1/10	
0419	130x270mm, notch 12x12	1/10	



0415  
0416  
0417  
0418  
0419

### **Stainless steel trowel**

Paca nierdzewna, Glättekelle, Edelstahl,

Ergonomic, balanced, shaped, two-component handle  
on jacking foot made by polyamide with fiberglass.

Stainless, acid resistant steel, thickness: 0,7mm.

For application of gypsum plaster, mortars and adhesives (0473).

Stainless steel trowel, notched (0201, 0202, 0203, 0204, 0205).

For distribution of adhesive mortars.

no.	dimensions	pcs.	ean
0473	130x270mm, smooth	1/10	
0201	130x270mm, notch 4x4	1/10	
0202	130x270mm, notch 6x6	1/10	
0203	130x270mm, notch 8x8	1/10	
0204	130x270mm, notch 10x10	1/10	
0205	130x270mm, notch 12x12	1/10	



0201  
0202  
0203  
0204  
0205

### **Stainless steel trowel**

Paca nierdzewna, Glättekelle, Edelstahl

Ergonomic, balanced, shaped, two-component handle  
on jacking foot made by polyamide with fiberglass.

Stainless, acid resistant steel, thickness: 0,7mm.

For application of gypsum plaster, mortars and adhesives (0240).

Stainless steel trowel, notched (0241, 0242, 0243, 0244, 0245).

For distribution of adhesive mortars.

no.	dimensions	pcs.	ean
0240	130x270mm, smooth	1/10	
0241	130x270mm, notch 4x4	1/10	
0242	130x270mm, notch 6x6	1/10	
0243	130x270mm, notch 8x8	1/10	
0244	130x270mm, notch 10x10	1/10	
0245	130x270mm, notch 12x12	1/10	



0241  
0242  
0243  
0244  
0245

## STAINLESS STEEL TROWELS



### **Stainless steel trowel with rounded edges**

Paca nierdzewna, Glättekelle, Edelstahl, glatt

Ergonomic, balanced, shaped two-component handle on jacking foot made by polyamide with fiberglass.  
Stainless, acid resistant steel, thickness: 0,7mm.  
For application of gypsum plaster, thanks to two rounded edges it leaves less visible marks.

no.	dimensions	pcs.	ean
0206	130x270mm	1/10	5 907798 502062



### **Stainless steel trowel with half-round notches**

Paca nierdzewna, Zahnekelle, Edelstahl-Zahnung

Ergonomic, balanced, shaped two-component handle on jacking foot made by polyamide with fiberglass.  
Stainless, acid resistant steel, thickness: 0,7mm.  
For distribution of self-leveling, thick-layered and formable adhesives on large format tiles.  
Guarantees maximum tile covering with the adhesive.

no.	dimensions	pcs.	ean
0463	130x270mm, notch 15x20	1/10	5 907798 504838



### **Stainless steel trowel with skewed notch**

Paca nierdzewna, Zahnekelle, Edelstahl-Zahnung

Ergonomic, balanced, shaped two-component handle on jacking foot made by polyamide with fiberglass.  
Stainless, acid resistant steel, thickness: 0,7mm.  
For distribution of adhesive mortars, using method of spring fixing of glaze tiles.  
Guarantees maximum tile covering with the adhesive.



### **Stainless steel trowel, smooth**

Paca nierdzewna, Glättekelle, Edelstahl, glatt

Ergonomic, balanced and shaped handle made of PS.  
Stainless, acid resistant steel, thickness: 0,7mm.  
For application of gypsum plaster, mortars and adhesives.

no.	dimensions	pcs.	ean
0435	130x270mm	1/10	5 907798 504353

## STAINLESS STEEL TROWELS

### **Stainless steel trowel, smooth MASTER LINE**

Paca nierdzewna gładka, Glättekelle, Edelstahl,  
Ergonomic, balanced, shaped three-component handle  
on jacking foot made by polyamide with fiberglass.  
Stainless, acid resistant steel, thickness: 0,7mm.  
For application of gypsum plaster, mortars and adhesives (0260).  
Stainless steel trowel, notched (0261, 0262, 0263, 0264, 0265).  
For distribution of adhesive mortars.

nr	wymiary	szt.	ean
0260	130x270mm	1/10	5 907 798 5 026 04
0261	130x270mm, notch 4x4	1/10	5 907 798 5 026 11
0262	130x270mm, notch 6x6	1/10	5 907 798 5 026 28
0263	130x270mm, notch 8x8	1/10	5 907 798 5 026 35
0264	130x270mm, notch 10x10	1/10	5 907 798 5 026 42
0265	130x270mm, notch 12x12	1/10	5 907 798 5 026 59



**Kubala®**  
MASTER LINE



0261  
0262  
0263  
0264  
0265

**Kubala®**  
MASTER LINE



### **Stainless steel trowel with rounded edges MASTER LINE**

Paca nierdzewna, Glättekelle, Edelstahl,  
Ergonomic, balanced, shaped three-component handle  
on jacking foot made by polyamide with fiberglass.  
Stainless, acid resistant steel, thickness: 0,7mm.  
For application of gypsum plaster, thanks  
to two rounded edges it leaves less visible marks.

no.	dimensions	pcs.	ean
0266	130x270mm	1/10	5 907 798 5 026 66

### **Stainless steel trowel with rounded edges MASTER LINE**

Paca nierdzewna, Glättekelle, Edelstahl,  
Ergonomic, balanced, shaped three-component handle  
on jacking foot made by polyamide with fiberglass.  
Stainless, acid resistant steel, thickness: 0,7mm.  
Float for spreading self-flowing, thick-layer and deformable  
adhesives on large-format tiles. Provides maximum coverage  
of the tile with glue.

no.	dimensions	pcs.	ean
0267	130x270mm, notch 15x20	1/10	5 907 798 5 026 73



**Kubala®**  
MASTER LINE



### **Stainless steel trowel with skewed notch MASTER LINE**

Paca nierdzewna, Glättekelle, Edelstahl,  
Ergonomic, balanced, shaped three-component handle  
on jacking foot made by polyamide with fiberglass.  
Stainless, acid resistant steel, thickness: 0,7mm.  
For distribution of adhesive mortars, using method of  
spring fixing of glaze tiles. Guarantees maximum  
tile covering with the adhesive.

no.	dimensions	pcs.	ean
0268	130x270mm, notch 10	1/10	5 907 798 5 026 80



**Kubala®**  
MASTER LINE



2006

2006

### **Stainless steel trowel, smooth**

Paca nierdzewna gładka, Glättekelle, Edelstahl,  
 Ergonomic, balanced, shaped, two-component handle.  
 Stainless, acid resistant steel, thickness: 0,7mm.  
 For application of gypsum plaster, mortars and adhesives.



no.	dimensions	pcs.	ean
0441	130x270mm	1/10	

### **Stainless steel trowel, smooth**

Paca nierdzewna, gładka, Glättekelle, Edelstahl, glatt  
 Ergonomic, balanced, shaped handle made of beech wood  
 on jacking foot made by polyamide with fiberglass.  
 Stainless, acid resistant steel, thickness: 0,7mm.  
 For application of gypsum plaster, mortars and adhesives.



no.	dimensions	pcs.	ean
0475	130x270mm	1/10	

### **Stainless steel trowel, smooth**

Paca nierdzewna gładka, Glättekelle, Edelstahl, glatt  
 Ergonomic, balanced, shaped two-component handle  
 on jacking foot made by polyamide with fiberglass.  
 Stainless, acid resistant steel, thickness: 0,7mm.  
 For application of gypsum plasters, mortars and adhesives.



no.	dimensions	pcs.	ean
0210	130x270mm	1/10	

### **Stainless steel trowel, smooth**

Paca nierdzewna, gładka, Glättekelle, Edelstahl, glatt  
 Ergonomic, balanced, shaped two-component handle  
 on extended aluminium jacking foot, guarantees better stability  
 of the working part. Stainless, acid resistant steel, thickness: 0,7mm.  
 For application of gypsum plasters, mortars and adhesives.



no.	dimensions	pcs.	ean
0220	130x270mm	1/10	

## STAINLESS STEEL TROWELS



### **Stainless steel trowel, smooth**

Paca nierdzewna gładka, Glättekelle, Edelstahl, glatt

Ergonomic and balanced handle made of beech wood, on extended aluminium jacking foot, guarantees better stability of the working part. Stainless, acid resistant steel, thickness: 0,7mm. For application of gypsum plasters, mortars and adhesives.

no.	dimensions	pcs.	ean
0472	130x270mm	1/10	



Float grinded from the bottom alongside the longer edges and through its center.

### **Stainless steel trowel, smooth**

Paca nierdzewna, gładka, Glättekelle, Edelstahl, glatt

Ergonomic, balanced, shaped two-component soft handle on extended jacking foot made by polyamide with fiberglass. Extended jacking foot guarantees better stability of the working part. Stainless, acid resistant steel, thickness: 0,7mm. For application of dust free gypsum plasters.

no.	dimensions	pcs.	ean
0489	130x350mm	1/6	
0490	130x405mm	1/10	



### **Stainless steel trowel, half-rounded**

Paca nierdzewna, półokrągła, Glättekelle, Edelstahl, halbrund

Ergonomic, balanced and shaped handle made of PS. Stainless, acid resistant steel, thickness: 0,7mm. For application of plasters, thanks to rounded working part it leaves less visible marks while working.

no.	dimensions	pcs.	ean
0420	105x325mm	1/10	

### **Stainless steel trowel conic**

Paca nierdzewna, stożkowa, Venezianische Glättekelle  
 Ergonomic, balanced two-component soft handle  
 on jacking foot made by polyamide with fiberglass.  
 Stainless, acid resistant steel, thickness: 0,3mm.  
 For application and structuring of decorative plasters,  
 including travertine.



no.	dimensions	pcs.	ean
0499	70x230mm	1/10	

### **Stainless steel 'venice' trowel**

Paca nierdzewna, "wenecka", Glättekelle, Edelstahl, "venezianisch"  
 Ergonomic, balanced and shaped two-component soft handle  
 on jacking foot made by polyamide with fiberglass.  
 Stainless, acid resistant steel, thickness: 0,7mm, half-mirror polished,  
 ground edges (secured and covered), rounded edges.  
 For gypsum stucco works.



no.	dimensions	pcs.	ean
0458	80x200mm	1/10	
0459	75x95x240mm	1/10	

### **Stainless steel 'venice' trowel**

Paca nierdzewna, "wenecka", Glättekelle, Edelstahl, "venezianisch"  
 Ergonomic, balanced, shaped handle made of beech  
 wood on jacking foot made by polyamide with fiberglass.  
 Stainless, acid resistant steel, thickness: 0,7mm, mirror polished,  
 ground edges, (secured and covered), rounded edges.  
 For gypsum stucco works.



no.	dimensions	pcs.	ean
0456	80x200mm	1/10	
0457	75x95x240mm	1/10	



### **Steel trowel, "sharp"**

Paca nierdzewna, "ostra", Steinholzglätter, Metal "spitz"  
 Ergonomic handle made of beech wood, natural.  
 Steel thickness: 1,0mm.  
 For floor surfaces.

no.	dimensions	pcs.	ean
0421	90x500mm	1/10	
0422	90x600mm	1/10	



## STAINLESS STEEL TROWELS



0409  
0410  
0411  
0412



**Kubala®**  
MASTER LINE



0253  
0254



### Stainless steel trowel, "sharp"

Paca nierdzewna, "ostra", Edelstahl, "spitz"

Ergonomic, balanced, shaped handle made of beech wood, varnished. Stainless, acid resistant steel, thickness: 1,0mm. For floor surfaces.

no.	dimensions	pcs.	ean
0431	90x500mm	1/10	

### Stainless steel trowel

Paca nierdzewna, Aufziehglätte, Edelstahl

Ergonomic, balanced, shaped handle made of beech wood, varnished. Stainless, acid resistant steel, thickness: 0,7mm. For application of gypsum plasters, mortars and adhesives (0407, 0408). For distribution of adhesive mortars and adhesives for net in thermal insulation works (0409, 0410, 0411, 0412).

no.	dimensions	pcs.	ean
0407	130x380mm, smooth	1/4	
0408	130x480mm, smooth	1/4	
0409	130x480mm, notch 6x6	1/4	
0410	130x480mm, notch 8x8	1/4	
0411	130x480mm, notch 10x10	1/4	
0412	130x480mm, notch 12x12	1/4	

### Stainless steel trowel, smooth

Paca nierdzewna, gładka, Aufziehglätte, Edelstahl, glatt

Ergonomic, balanced, shaped handle made of beech wood, varnished. Stainless, acid resistant steel, thickness: 0,7mm. For application of gypsum plasters, mortars and adhesives.

no.	dimensions	pcs.	ean
0423	130x580mm	1/4	
0413	130x680mm	1/4	

### Stainless steel trowel MASTER LINE

Paca nierdzewna, Aufziehglätte, Edelstahl

Ergonomic, shaped three-component soft handle. Stainless, acid resistant steel, thickness: 0,7mm. For distribution of self-leveling, trick-layered and formable adhesives on large format tiles.

Guarantees maximum tile covering with adhesive (0250). For distribution of adhesive mortars and adhesives for net in thermal insulation works (0253, 0254).

no.	dimensions	pcs.	ean
0250	130x480mm, smooth	1/4	
0253	130x480mm, notch 8x8	1/4	
0254	130x480mm, notch 10x10	1/4	

**Stainless steel trowel, smooth with rounded edges, MASTER LINE**

Paca nierdzewna, Aufziehglätte, Edelstahl, glatt  
 Ergonomic, shaped three-component soft handle.  
 Stainless, acid resistant steel, thickness: 0,7mm.  
 For application of gypsum plasters, thanks to two rounded edges it leaves less visible marks.



**Kubala®**  
MASTER LINE



no.	dimensions	psc.	ean
0256	130x480mm	1/4	5 907798 302567

**Stainless steel trowel with half-round notches, MASTER LINE**

Paca nierdzewna z zębem półokrągłym, Zahnekelle, Edelstahl-Zahnung  
 Ergonomic, balanced, shaped three-component soft handle.  
 Stainless, acid resistant steel, thickness: 0,7mm.  
 For distribution of self-levelling, thick-layered and formable adhesives  
 on large format tiles.  
 Guarantees maximum tile covering with the adhesive.



**Kubala®**  
MASTER LINE



no.	dimensions	psc.	ean
0257	130x480mm	1/4	5 907798 302574



## PLASTER TOOLS



0651



0650



N

0631



C



### Tool case for plaster tools, MASTER SET

Walizka z narzędziami do gładzi MASTER SET,  
Werkzeug - Kofferset MASTER SET

The suitcase includes:

- 0623 Stainless steel putty knife with replaceable for finishing plaster 200 mm, MASTER LINE
- 0625 Stainless steel putty knife with replaceable for finishing plaster 400 mm, MASTER LINE
- 0627 Stainless steel putty knife with replaceable for finishing plaster 600 mm, MASTER LINE
- 0628 Stainless steel putty knife with replaceable for finishing plaster 800 mm, MASTER LINE
- 0629 Stainless steel putty knife with replaceable for finishing plaster 1000 mm, MASTER LINE
- 0620 Adapter for stainless steel finishing knife, MASTER LINE
- 0615 Aluminum telescopic pole, MASTER LINE
- 0614 230 mm plaster roller, 2K soft handle
- 0528 Stainless steel spatula 150mm, 2K soft handle, SILVER LINE

no.	dimensions	psc.	ean
0650	1170x400x120mm empty case	1/1	
0651	1170x400x120mm MASTER SET	1/1	

### Tool case for plaster tools, MASTER SET MINI


Walizka z narzędziami do gładzi MASTER SET MINI,  
Werkzeug - Kofferset MASTER SET MINI

The suitcase includes:

- 0624 Stainless steel putty knife with replaceable for finishing plaster 300 mm, MASTER LINE
- 0627 Stainless steel putty knife with replaceable for finishing plaster 600 mm, MASTER LINE
- 0628 Stainless steel putty knife with replaceable for finishing plaster 800 mm, MASTER LINE
- 0620 Adapter for stainless steel finishing knife, MASTER LINE
- 0616 Aluminum telescopic pole 135 cm, MASTER LINE



no.	dimensions	psc.	ean
0630	970x250x100mm empty case	1/1	
0631	970x250x100mm MASTER SET	1/1	



### **Stainless steel finishing knife with replacement blade**

#### **MASTER LINE**

Szpachla nierdzewna z wymiennym ostrzem do gładzi MASTER LINE,  
Flächenpachtel mit wechselblatt MASTER LINE

The functional part of the spatula made from stainless steel.  
Ergonomic shape of the handle to work with one or both hands.  
Flexible blade with rounded edges do not scratch the ground.  
Thickness 0,3 mm.



**Kubala®**  
MASTER LINE



no.	dimensions	pcs.	ean
0623	200mm	1/4	5 0 0 7 7 9 8 3 0 6 2 5 7
0624	300mm	1/4	5 0 0 7 7 9 8 3 0 6 2 4 1
0625	400mm	1/4	5 0 0 7 7 9 8 3 0 6 2 3 1
0627	600mm	1/4	5 0 0 7 7 9 8 3 0 6 2 2 5
0628	800mm	1/4	5 0 0 7 7 9 8 3 0 6 2 2 2
0629	1000mm	1/4	5 0 0 7 7 9 8 3 0 6 2 2 1
0633	replacement blade 200mm	1/10	5 0 0 7 7 9 8 3 0 6 3 3 6
0634	replacement blade 300mm	1/10	5 0 0 7 7 9 8 3 0 6 3 3 5
0635	replacement blade 400mm	1/10	5 0 0 7 7 9 8 3 0 6 3 3 0
0637	replacement blade 600mm	1/10	5 0 0 7 7 9 8 3 0 6 3 3 4
0638	replacement blade 800mm	1/10	5 0 0 7 7 9 8 3 0 6 3 3 1
0639	replacement blade 1000mm	1/10	5 0 0 7 7 9 8 3 0 6 3 3 3



1 2

instructions  
for use



### **Adapter for stainless steel finishing knife, MASTER LINE**


Adapter do szpachli z wymiennym ostrzem

Adapter für Flächenpachtel mit Wechselblattsystem

Adapter dedication to stainless steel finishing knife Kubala  
(0623,0624,0625,0627,0628,0629).

Made by polyamide with fiberglass .


no.	dimensions	pcs.	ean
0620		1/10	5 0 0 7 7 9 8 3 0 6 2 0 1



**Kubala®**  
MASTER LINE



quick holder regulation  
quick fitting to finishing knife




### **Telescopic stick aluminium**

Kij teleskopowy aluminiowy, Teleskopstange aluminium

Made of aluminum.

The stick is equipped with a special tip that allows trouble-free assembly to stainless steel finishing knife Kubala.

no.	dimensions	pcs.	ean
0615	2m	1/6	5 0 0 7 7 9 8 3 0 6 1 5 2
0616	135cm	1/6	5 0 0 7 7 9 8 3 0 6 1 6 9



### **Roller for applying finish coat**

Wałek do gładzi, Beschichtungsrolle

Ergonomic, balanced and shaped two-component handle.

Made by polyamide. It collects putty mass perfectly  
and then spreads it thoroughly on the wall or ceiling.

For all types of ready-made masses.

no.	dimensions	pcs.	ean
0614	230mm	1/10	5 0 0 7 7 9 8 3 0 6 1 4 5
0613	roller refill 0614 230mm	1/10	5 0 0 7 7 9 8 3 0 6 1 3 8
0671	80mm	1/10	5 0 0 7 7 9 8 3 0 6 1 1 5
0670	roller refill 0671 80mm	1/10	5 0 0 7 7 9 8 3 0 6 1 0 1



0613  
0670



## PLASTER TOOLS / STAINLESS STEEL SPATULAS



**Kubala®**  
MASTER LINE



0532

0539



### Stainless steel spatula

Szpacbla nierdzewna do gładzi, Gipspachtel, Edelstahl  
Ergonomic, shaped two-component handle .

Stainless, acid resistant steel, thickness: 0,4mm.  
The working part installed in an aluminium hollow section,  
anodised to gain more strength and guarantee  
a perfectly even working edge.

Restricted product

no.	dimensions	pcs.	ean
0551	350mm	1/5	
0552	500mm	1/5	
0553	600mm	1/5	

### Stainless steel spatula

Szpacbla nierdzewna, Flächenpachtel, Edelstahl  
Ergonomic, shaped handle made of plywood.

Stainless, acid resistant steel, thickness: 0,3mm.  
The working part installed in an aluminium hollow section, anodised  
to gain more strength and guarantee a perfectly even working edge.  
For gypsum plasters.

no.	dimensions	pcs.	ean
0563	350mm	1/10	
0564	500mm	1/10	
0565	600mm	1/8	

### Stainless stripping knife 0,5mm, MASTER LINE

Szpacbla nierdzewna fasadowa 0,5mm, MASTER LINE,  
Fassadenspachtel edelstahl 0,5mm, MASTER LINE

Stainless, acid resistant steel, thickness: 0,5mm  
Ergonomic shape of the handle for working with one or both hands.  
Does not scratch the ground thanks to the rounded sides of the  
flexible blade.

nr	wymiary	szt.	ean
0644	300mm	1/4	
0647	600mm	1/4	

### Stainless steel spatula

Szpacbla nierdzewna, fasadowa, Fassadenspachtel, Edelstahl  
Ergonomic, shaped two-component handle.

Stainless, acid resistant steel, thickness: 0,5mm.  
The working part installed in an aluminium hollow section, anodised  
to gain more strength and guarantee a perfectly even working edge.  
For construction and finishing works.

no.	dimensions	pcs.	ean
0533	350mm	1/5	
0534	500mm	1/5	
0535	600mm	1/5	
0532	handle for a stripping knife	1/10	
0539	handle for stripping knife with angle regulation	1/10	

### **Stainless Steel Bucket Scoop**

Szpachla nierzewna WYBIERAK do wiadra,  
Spachtel zum Reinigen von Eimern

Ergonomic and profiled 2K soft handle.

Stainless, acid-resistant steel thickness: 0.5 mm, with increased flexibility and elasticity. Thanks to the right selection, the angles and elasticity of the sheet metal, the putty perfectly adjusts into the bucket, causing the weight to be picked up accurately from the bucket.



no.	dimensions	pcs.	ean
0540	160mm	1/10	5 0 0 7 7 9 8 1 0 5 4 0 7

### **Stainless steel spatula SILVER LINE**

Szpachla nierzewna SILVER LINE, Gipsspachtel, Edelstahl SILVER LINE  
Ergonomic 2-component handle ensures comfort during work.

Working part made of acid-resistant stainless steel, ground and polished.  
"Conical" grinding of the working part results in high flexibility of the tool near the edge of the spatula blade. Tool allows spreading the mass with a very thin layer. Tool is ideal for finishing works.



no.	dimensions	pcs.	ean
0522	„25”	1/10	5 0 0 7 7 9 8 1 0 5 2 2 5
0523	„35”	1/10	5 0 0 7 7 9 8 1 0 5 3 3 5
0524	„60”	1/10	5 0 0 7 7 9 8 1 0 5 2 4 7
0525	„75”	1/10	5 0 0 7 7 9 8 1 0 5 2 5 4
0526	“100”	1/10	5 0 0 7 7 9 8 1 0 5 2 6 1
0527	“125”	1/10	5 0 0 7 7 9 8 1 0 5 2 7 8
0528	“150”	1/10	5 0 0 7 7 9 8 1 0 5 2 8 5
0529	“200”	1/10	5 0 0 7 7 9 8 1 0 5 2 9 2
0530	“250”	1/10	5 0 0 7 7 9 8 1 0 5 3 0 9

### **Stainless steel spatula**

Szpachla nierzewna, Gipsspachtel, Edelstahl

Ergonomic handle made of PP.

Stainless, acid resistant steel, thickness: 0,7mm.  
For construction and finishing works.



no.	dimensions	pcs.	ean
0501	40mm	1/20	5 0 0 7 7 9 8 1 0 5 0 1 8
0502	60mm	1/20	5 0 0 7 7 9 8 1 0 5 0 2 1
0503	80mm	1/20	5 0 0 7 7 9 8 1 0 5 0 3 2
0500	100mm	1/20	5 0 0 7 7 9 8 1 0 5 0 0 1

### **Stainless steel spatula**

Szpachla nierzewna, Gipsspachtel, Edelstahl

Ergonomic two-component handle.

Stainless, acid resistant steel, thickness: 0,7mm.  
For construction and finishing works.



no.	dimensions	pcs.	ean
0585	40mm	1/20	5 0 0 7 7 9 8 1 0 5 8 5 8
0586	60mm	1/20	5 0 0 7 7 9 8 1 0 5 8 6 0
0587	80mm	1/20	5 0 0 7 7 9 8 1 0 5 8 7 2
0588	100mm	1/20	5 0 0 7 7 9 8 1 0 5 8 8 9



## STAINLESS STEEL SPATULAS



### Stainless steel spatula, multifunctional

Szpachla nierdzewna, wielofunkcyjna, Gipsspachtel, Edelstahl  
Ergonomic handle made of PP.  
Stainless, acid resistant steel, thickness: 1,0mm.  
For painting and finishing works.

no.	dimensions	pcs.	ean
0584	60mm	1/20	



tip is made of raw aluminium allowing you to mark the wall

paint can opener

rollers cleaning cutout

nails removing hole

blade for peeling off old paint



### Stainless steel spatula MASTER LINE

Szpachla nierdzewna uniwersalna, Gipsspachtel, Edelstahl  
Acid-resistant stainless steel, thickness 2.0 mm.  
3k soft handle. Tip is made of raw aluminium allowing you to mark the wall. Tool for painting and finishing works for: cleaning rollers, removing nails, opening paint cans blade for peeling off old paint.

no.	dimensions	pcs.	ean
0661	75mm	1/10	



### Stainless steel spatula

Szpachla nierdzewna, Flächenspachtel, Edelstahl  
Ergonomic, shaped two-component handle .  
Stainless, acid resistant steel, thickness: 0,5mm.  
The working part installed in an aluminium hollow section, anodised to gain more strength and guarantee a perfectly even working edge.  
For construction and finishing works.

no.	dimensions	pcs.	ean
0546	150mm	1/10	
0547	250mm	1/10	
0548	350mm	1/10	



### Universal spatula

Szpachla uniwersalna, Universalspachtel zweiseitig  
Handle made of PP.  
Steel thickness: 1,0mm, two types of endings.  
For joint pointing and painting works.

no.	dimensions	pcs.	ean
0578	16mm	1/20	
0579	24mm	1/20	

### **Stainless steel spatula**

Szpachla nierdzewna, Gipspachtel, Edelstahl

Ergonomic, shaped two-component handle .

Stainless, acid resistant steel, thickness: 0,5mm.

For construction and finishing works.



no.	dimensions	pcs.	ean
0571	120mm	1/20	
0572	140mm	1/20	
0573	160mm	1/20	
0574	180mm	1/20	

### **Stainless steel spatula with bit**

Szpachla nierdzewna z wkrętakiem, Gipspachtel, Edelstahl

Ergonomic handle made of PP.

Stainless, acid resistant steel, thickness: 0,5mm.

For construction and finishing works with bit PH2.



no.	dimensions	pcs.	ean
0545	150mm	1/20	

### **Stainless steel spatula with a bit MASTER LINE**

Szpachla nierdzewana z bitem, Gipspachtel, Edelstahl  
Working part made of acid-resistant stainless steel,  
conical grinded and polished the high elasticity of the  
edge of the spatula enables the spreading of a very  
thin layer of putty. 3k soft handle.

Tip is made of raw aluminium allowing you to mark  
the wall. The bit is attached to the tip thanks to magnet  
glued in the hole.

Tool for finishing works with the use of all types of putty.



**Kubala®**  
MASTER LINE



Tip is made of raw  
aluminium allowing  
you to mark the wall



The bit be attached  
to the tip thanks to  
magnet glued in the  
hole



Instructions  
for use

## SPATULAS / PLASTIC SPATULA



### Stainless steel spatula

Szpacbla niedzewna, Gipsspachtel, Edelstahl

Handle made of PS.

Stainless, acid resistant steel, thickness: 0,5mm.

For construction and finishing works.

no.	dimensions	pcs.	ean
-----	------------	------	-----

0510	250x85mm	1/20	
0511	250x38mm	1/20	



### Stainless steel spatula

Szpacbla niedzewna, Gipsspachtel, Edelstahl

Ergonomic, shaped handle made of PS.

Stainless, acid resistant steel, thickness: 0,5mm.

For construction and finishing works.

no.	dimensions	pcs.	ean
-----	------------	------	-----

0512	350x85mm	1/20	
0513	335x35mm	1/20	



### Stainless steel spatula

Szpacbla niedzewna, Gipsspachtel, Edelstahl

Ergonomic, shaped handle made of beech wood.

The handle consists of two parts, which protects the tool against deformations of the working part.

Stainless, acid resistant steel, thickness: 0,5mm.

For construction and finishing works.

no.	dimensions	pcs.	ean
-----	------------	------	-----

0590	100mm	1/20	
0591	120mm	1/20	
0592	140mm	1/20	
0593	160mm	1/20	
0594	180mm	1/20	
0595	200mm	1/20	



### Stainless steel spatula

Szpacbla niedzewna, Gipsspachtel, Edelstahl

Ergonomic handle made of PP.

Stainless, acid resistant steel, thickness: 0,5mm.

For painting and finishing work.

no.	dimensions	pcs.	ean
-----	------------	------	-----

0508	130x85mm	1/20	
0509	120x35mm	1/20	

### **Stainless steel spatula "Japan"**

Szpacbla nierdzewna "japońska", Japanspachtelsatz

Handle made of PP.

Stainless, acid resistant steel, thickness: 0,3mm.

The set contains 4 sizes of stripping knives.

For skimming of delicate surfaces.



no.	dimensions	pcs.	ean
1625	50,80,100,120mm	1/25	

### **Stainless steel spatula for spreading glue**

Rakla do rozprowadzania kleju, Rakel zur Klebstoffverteilung

Ergonomic, shaped handle made of plywood.


Stainless steel.

Blade made of tempered steel, 4 mm tooth width.

For spreading adhesive under the liner.



no.	dimensions	pcs.	ean
0570	560mm, notch 4x4	1/5	



### **Steel spatula**

Szpacbla metalowa, Kleberspachtel, Stahl

Handle made of PP.

Steel thickness: 0,45mm.

For distribution of mortars and glue on small surfaces.

no.	dimensions	pcs.	ean
0514	180mm, smooth	1/20	
0515	180mm, notch 4x4	1/20	
0516	180mm, notch 6x6	1/20	
0517	180mm, notch Δ 3	1/20	
0518	180mm, notch Δ 6	1/20	



### **Plastic spatula**

Szpacbla z tworzywa, Spachtel, Kunststoff

Plastic PS.

Ergonomic, shaped handle.


For distribution of mortars and adhesives on small surfaces.

no.	dimensions	pcs.	ean
0701	235mm, smooth	1/20	
0702	235mm, notch 4x6	1/20	
0703	235mm, notch 6x6	1/20	



## PLASTIC SPATULAS

✓   
PS



### Universal plastic spatula

Szpachla z tworzywa, Kunststoffspachtel gezahnt

Plastic PS.

For distribution of mortars and adhesives on small surfaces.

no.	dimensions	pcs.	ean
0706	175x130mm	1/20	
0708	90x135mm	1/20	

✓   
ABS



### Plastic spatula

Szpachla z tworzywa, Spachtel, Kunststoff

Plastic ABS.

For skimming of delicate surfaces.

no.	dimensions	pcs.	ean
0704	80mm	1/10	
0705	100mm	1/10	
0707	150mm	1/10	

✓   
PP



### Plastic spatula "Japan"

Szpachla z tworzywa "japońska", Japanspachtelsatz

Plastic PP.

The set contains four sizes of stripping knife.

For skimming of delicate surfaces.

no.	dimensions	pcs.	ean
1624	50,80,100,120mm	1/25	

✓   
PE



### Universal tool "K"

Przyrząd uniwersalny "K", Silikon Fugenspachtel "K"

Black: plastic PE.

For filling and shaping of joints.

Blue: rubber.

For filling and shaping of silicone joints.

no.	dimensions	pcs.	ean
1614	black	1/20	
1628	blue	1/20	

---

**Rubber spatula**

Szpachla gumowa, Fugengummi/Fliesenwischer

Plastic handle PP.

Rubber thickness: 7mm.

For water extraction from large surfaces.



no.	dimensions	pcs.	ean
0607	440mm	1/10	 5 907798 106077



---

**Rubber spatula**

Szpachla gumowa, Fugengummi

Shaped handle made of beech wood.

White rubber thickness: 8mm.

For the application of cement joints.



no.	dimensions	pcs.	ean
0601	135mm	1/10	 5 907798 106012
0602	200mm	1/10	 5 907798 106022
0603	250mm	1/10	 5 907798 106038



## MASONRY TROWELS



### Triangular trowel

Kielnia trójkątna, Dreieckmauerkelle, Stahl

Ergonomic two-component handle.

Double sided grinded steel, thickness 1,2mm, welded. Perfectly balanced.

For bricklaying and plastering works.

no.	dimensions	pcs.	ean
0801	200x190mm	1/10	
0802	220x215mm	1/10	
0813	160x140mm	1/10	

### Triangular trowel

Kielnia trójkątna, Dreieckmauerkelle, Stahl

Ergonomic two-component handle. Double sided grinded steel, thickness: 1,2mm, welded.

Perfectly balanced. Sharp corners.

For bricklaying and plastering works.

no.	dimensions	pcs.	ean
0815	200x190mm	1/10	

### Trapezoid trowel

Kielnia trapezowa, Trapezmauerkelle, Stahl

Ergonomic two-component handle.

Double sided grinded steel, thickness: 1,2mm, welded. Perfectly balanced.

For bricklaying and plastering works.

no.	dimensions	pcs.	ean
0803	120x180x80mm	1/10	

### Trapezoid trowel

Kielnia trapezowa, Trapezmauerkelle, Stahl

Ergonomic two-component handle.

Double sided grinded steel, thickness: 1,2mm, welded. Straight jacking feet.

For bricklaying and plastering works.

no.	dimensions	pcs.	ean
0811	120x180x80mm	1/10	

### **Stainless steel triangular trowel**

Kielnia nierdzewna trójkątna, Dreieckmauerkelle, Edelstahl  
 Ergonomic handle made of beech wood.  
 Stainless, acid resistant, double sided grinded steel,  
 thickness: 1,2mm, welded. Perfectly balanced.  
 For bricklaying and plastering works.



no.	dimensions	pcs.	ean
0807	200x190mm	1/10	



### **Triangular trowel**

Kielnia trójkątna, Dreieckmauerkelle, Stahl  
 Ergonomic handle made of beech wood.  
 Double sided grinded steel, thickness: 1,2mm,  
 welded. Perfectly balanced.  
 For bricklaying and plastering works.

no.	dimensions	pcs.	ean
0804	200x190mm	1/10	
0805	220x215mm	1/10	



### **Trapezoid trowel**

Kielnia trapezowa, Trapezmauerkelle, Stahl  
 Ergonomic handle made of beech wood.  
 Double sided grinded steel, thickness: 1,2mm,  
 welded.  
 Perfectly balanced.  
 For bricklaying and plastering works.

no.	dimensions	pcs.	ean
0806	120x180x80mm	1/10	



### **Stainless steel trowel, trapezoid**

Kielnia nierdzewna trapezowa, Stuckateurkelle, Edelstahl  
 Ergonomic handle made of beech wood, varnished.  
 Stainless, acid resistant steel, thickness: 1,0mm.  
 5-point spot welding.  
 For stucco and finishing works.

no.	dimensions	pcs.	ean
0808	115x160x90mm	1/20	
0809	120x180x80mm	1/20	
0810	120x180x90mm	1/20	
0901	80x145x55mm	1/20	



## MASONRY TROWELS / STUCCO TROWELS



EDELSTAHL®  
Rost  
frei



### **Stainless steel trowel, trapezoid**

Kielnia nierdzewna trapezowa, Stuckateurbelle, Edelstahl  
Ergonomic two-component handle.  
Stainless, acid resistant steel thickness: 1,0mm.  
5-point spot welding.  
For stucco and finishing work.

no.	dimensions	pcs.	ean
0812	115x160x90mm	1/20	5 9 0 7 7 9 8 5 0 8 1 2 5



FSC



### **Round steel trowel**

Kielnia stalowa półokrągła, Maurerkelle, Stahl  
Ergonomic handle made of beech wood with the FSC certificate.  
Steel with increased hardness and flexibility.  
Conical grinding of the working part results in high tool flexibility.  
Working surface secured with transparent lacquer.

no.	dimensions	pcs.	ean
0820	180mm	1/10	5 9 0 7 7 9 8 5 0 8 1 2 6
0821	200mm	1/10	5 9 0 7 7 9 8 5 0 8 1 2 7
0822	220mm	1/10	5 9 0 7 7 9 8 5 0 8 1 2 8



EDELSTAHL®  
Rost  
frei

FSC



EDELSTAHL®  
Rost  
frei

FSC

### **Stainless stucco trowel**

Kielnia nierdzewna kąt zewnętrzny, Außenecckstuckateurbelle, Edelstahl  
Ergonomic handle made of beech wood with the FSC certificate.  
The working part is made of one piece of 0.5mm thick stainless,  
acid-resistant steel. Thanks to a properly selected angle,  
during use we get an angle of 90°.  
For finishing works, including plastering of outside corners.

no.	dimensions	pcs.	ean
0923	97x140mm	1/10	5 9 0 7 7 9 8 5 0 9 2 3 6



### **Stainless stucco trowel**

Kielnia nierdzewna kąt wewnętrzny, Inneneckstuckateurbelle, Edelstahl  
Ergonomic handle made of beech wood with the FSC certificate.  
The working part is made of one piece of 0.5mm thick stainless,  
acid-resistant steel. Thanks to a properly selected angle,  
during use we get an angle of 90°.  
For finishing works, including plastering of inside corners.

no.	dimensions	pcs.	ean
0924	97x140mm	1/10	5 9 0 7 7 9 8 5 0 9 2 4




#### **Stainless steel stucco trowel, angular**

Kielnia nierdzewna kątowa, Inneneckstuckateurkelle, Edelstahl  
Ergonomic handle made of beech wood, varnished.  
Stainless, acid resistant steel thickness: 1,0mm.  
For finishing works,  
including plastering of inside corners.



no.	dimensions	pcs.	ean
0909	60x85mm	1/20	
0910	75x110mm	1/20	
0914	97x120mm	1/20	



#### **Stainless steel stucco trowel, angular**

Kielnia nierdzewna kątowa, Außenecckstuckateurkelle, Edelstahl  
Ergonomic handle made of beech wood, varnished.  
Stainless, acid resistant steel thickness: 1,0mm.  
For finishing works,  
including plastering of outside corners.



no.	dimensions	pcs.	ean
0908	60x85mm	1/20	
0913	97x120mm	1/10	



#### **Stainless steel stucco trowel**

Kielnia nierdzewna sztukatorska, Stuckateurkelle, Edelstahl  
Ergonomic handle made of beech wood, varnished.  
Stainless, acid resistant steel thickness: 0,8mm; 1,0mm (0916).  
5-point spot welding.  
For stucco and finishing works.



no.	dimensions	pcs.	ean
0912	50mm	1/20	
0902	60mm	1/20	
0903	80mm	1/20	
0904	100mm	1/20	
0916	120mm	1/20	



## STUCCO TROWELS



### **Stainless steel stucco trowel "sharp"**

Kielnia sztukatorska "ostra", Stuckateurmelle, Edelstahl  
Ergonomic handle made of beech wood with the FSC cecilificate,  
varnished. Stainless, acid resistant steel thickness: 0,8mm.  
5-point spot welding.  
For stucco and finishing works.

no.	dimensions	pcs.	ean
0905	80x140mm	1/20	



### **Stainless steel stucco trowel**

Kielnia niedzewna sztukatorska, Stuckateurmelle, Edelstahl  
Ergonomic handle made of beech wood with the FSC cecilificate,  
varnished. Stainless, acid resistant steel thickness: 1,0mm.  
5-point spot welding.  
For finishing works.

no.	dimensions	pcs.	ean
0911	80x83mm	1/20	



### **Stainless steel stucco trowel**

Kielnia niedzewna sztukatorska, Stuckateurmelle, Edelstahl  
Ergonomic handle made of beech wood with the FSC cecilificate,  
varnished. Stainless, acid resistant steel thickness: 1,0mm.  
5-point spot welding.  
For stucco works and finishing works.

no.	dimensions	pcs.	ean
0906	55x160x20mm	1/20	



### **Stainless steel stucco trowel**

Kielnia niedzewna sztukatorska, Stuckateurmelle, Edelstahl  
Ergonomic handle made of beech wood with the FSC cecilificate,  
varnished. Stainless, acid resistant steel thickness: 1,0mm.  
5-point spot welding.  
For stucco works and finishing works.

no.	dimensions	pcs.	ean
0907	20x160x55mm	1/20	



#### **Stainless steel stucco trowel MASTER LINE**

Kielnia nierdzewna sztukatorska, Stuckateurkelle, Edelstahl

Ergonomic three-component handle.

Stainless, acid resistant steel thickness: 0,8mm.

5-point spot welding.

For stucco works and finishing works.

no.	dimensions	pcs.	ean
0932	60mm	1/20	
0933	80mm	1/20	
0934	100mm	1/20	



**Kubala®**  
MASTER LINE



#### **Stainless steel stucco trowel MASTER LINE**

Kielnia nierdzewna sztukatorska, Stuckateurkelle, Edelstahl

Ergonomic three-component handle.

Stainless, acid resistant steel thickness: 1,0mm.

5-point spot welding.

For stucco works and finishing works.

no.	dimensions	pcs.	ean
0930	80x145x55mm	1/20	



**Kubala®**  
MASTER LINE



## STUCCO TROWELS



### Joint pointing trowel

Kielnia do spoin, Fugenkelle

Ergonomic handle made of beech wood with the FSC cecilificate.  
Harden steel thickness: 2,0mm.  
For joint pointing, including clinker.

no.	dimensions	pcs.	ean
1121	8mm	1/10	
1122	10mm	1/10	
1123	12mm	1/10	



### Stainless steel joint pointing trowel

Kielnia do spoin nierdzewna, Fugenkelle, Edelstahl  
Ergonomic two-component handle.  
Stainless, acid resistant steel thickness: 1,2mm.  
For joint pointing, including clinker.

no.	dimensions	pcs.	ean
1111	8mm	1/10	
1112	10mm	1/10	
1113	12mm	1/10	



### Stainless steel trowel, jointed

Kielnia nierdzewna, spawana, Trapezstuckateurkelle, Edelstahl  
Ergonomic two-component handle.  
Stainless, acid resistant, double sided grinded steel,  
thickness: 1,2mm, welded.  
For stonecutting and bricklaying works.

no.	dimensions	pcs.	ean
0951	80x145x55mm	1/20	



### Stainless steel trowel, jointed

Kielnia nierdzewna,spawana , Stuckateurkelle, Edelstahl  
Ergonomic two-component handle.  
Stainless, acid resistant, double sided grinded steel,  
thickness: 1,2mm, welded.  
For stonecutting and bricklaying works.

no.	dimensions	pcs.	ean
0952	60mm	1/20	
0953	80mm	1/20	
0954	100mm	1/20	

### Stucco trowel

Kielnia sztukatorska, Stuckateurkelle, Stahl, "Berner Putzkelle"  
Ergonomic handle made of beech wood with the FSC cecilificate,  
varnished. Steel thickness: 1,2mm.  
For construction and finishing works.

no.	dimensions	pcs.	ean
1001	80x145x55mm	1/20	



### Stucco trowel

Kielnia sztukatorska, Stuckateurkelle, Stahl, "Schwäbchen"  
Ergonomic handle made of beech wood with the FSC cecilificate,  
varnished. Steel thickness: 1,2mm.  
For construction and finishing works.

no.	dimensions	pcs.	ean
1002	80mm	1/20	
1003	100mm	1/20	



### Steel trowel

Kielnia spawana, Stuckateurkelle, Stahl, geschweißt "Berner Putzkelle"  
Ergonomic handle made of beech wood, varnished.  
Double sided grided steel, thickness: 1,2mm,  
welded (8 years warranty per welding).  
For stonecutting and bricklaying works.

no.	dimensions	pcs.	ean
1011	80x145x55mm	1/20	



### Steel trowel

Kielnia spawana, Stuckateurkelle, Stahl, geschweißt  
Ergonomic handle made of beech wood, varnished.  
Double sided grinded steel, thickness: 1,2mm,  
welded.  
For stonecutting and bricklaying works.

no.	dimensions	pcs.	ean
1012	60mm	1/20	
1013	80mm	1/20	
1014	100mm	1/20	




## SCRAPERS



### Steel plaster scraper

Zdzierak do tynków stalowy, Ausgleichbrett für Putznivellierung, Stahl  
Handle covered with PE.  
Steel, welded.  
For plaster smoothing.


no.	dimensions	pcs.	ean
1401	145x285mm	1/10	



### Plaster scraper

Zdzierak do tynków, Ausgleichbrett für Putznivellierung  
Made of aluminium.  
8 steel blades.  
For plaster smoothing.

no.	dimensions	pcs.	ean
1402	465x90mm	1/10	



### Plaster scraper

Zdzierak do tynków, Putzkratzer  
Made of polyamide with fiberglass .  
8 steel blades.  
For plaster smoothing.

no.	dimensions	pcs.	ean
1424	465x90mm	1/10	



### Plaster scraper MASTER LINE

Zdzierak do tynków, Edelputzkratzer aus Zinkblech  
Ergonomic, shaped three-component handle.  
Working part made of galvanised sheets with "burrs".  
For removing of outside plaster layer.

no.	dimensions	pcs.	ean
1418	130x250mm	1/10	



### Wool coarse scraper MASTER LINE

Zdzierak do wełny, Wolleschaber

Ergonomic, shaped three-component handle.  
Working part made of galvanised sheets.  
For stripping and levelling facade wool.



no.	dimensions	pcs.	ean
1421	145x285mm	1/10	5 0 0 7 7 9 8 6 1 4 2 1 8



### Plastic plaster scraper

Zdzierak do tynków, Ausgleichbrett für Putznivellierung  
Plastic PS.  
Ergonomic, shaped handle.  
6 steel blades.  
For plaster smoothing.

no.	dimensions	pcs.	ean
1403	270x90mm	1/10	5 0 0 7 7 9 8 6 1 4 0 3 4



### Floor scraper

Zdzierak do posadzek, Fußbodenausgleichbrett, Metall  
Metal, thickness: 1,4mm.  
For tearing floors (1416).  
Iron casting handle, working part thickness: 1,0mm.  
For tile removing (1417).

no.	dimensions	pcs.	ean
1416	300mm	1/5	5 0 0 7 7 9 8 6 1 4 1 6 1
1417	100mm	1/10	5 0 0 7 7 9 8 6 1 4 1 7 1



1417



### Beater

Zbijak, Klopfer  
Working part made of steel with thickness: 4mm,  
milled, sharp blade. Wooden grip 1050mm.  
Total length: 1140mm.  
For ice crushing.

no.	dimensions	pcs.	ean
1425	180x140mm	1/5	5 0 0 7 7 9 8 6 1 4 2 5 1



## SCRAPERS / TOOLS FOR CELLULAR CONCRETE



### Joint cleaner

Skrobak do fug, Fugenkratzer

Plastic PP.

Cemented carbide blade, removable and changeable.  
For cement joint removal.

no.	dimensions	pcs.	ean
1404	30mm	1/25	
1405	50mm	1/25	
1410	30mm - blade	1/20	
1411	50mm - blade	1/20	



### Paint coat scrubber „scraper”

Zdzierak do farby "cyklin", Farbkratzer

Plastic PP.

Steel blade, removable and changeable.  
For paint removal and renovation of wooden surfaces.

no.	dimensions	pcs.	ean
1406	40mm	1/20	
1407	60mm	1/20	
1412	40mm - blade	1/20	
1413	60mm - blade	1/20	




### Wallpaper scrubber

Skrobak do tapet, Tapetenkratzer

Plastic handle PS.

Stainless steel working part, thickness: 0,3mm.  
For plaster and paint removal.

no.	dimensions	pcs.	ean
1419	88mm	1/30	



### Splitter handsaw

Piła płatnicza, Porenbetonsäge

Beech wood handle with the FSC cecilicate.  
Steel.

For block cutting in cellular concrete.

no.	dimensions	pcs.	ean
1740	17-teeth	1/5	
1741	33-teeth	1/5	



### Cellular concrete block scrubber

Zdzierak do bloczków, Porenbetonhobel

Made of wood.  
10 steel edges, notched.  
For cellular concrete block smoothing.

no.	dimensions	pcs.	ean
1730	450x100mm	1/8	



### Cellular concrete block cutter

Przyrząd do cięcia, kątowy, Winkelscheidegerät

Metal.  
Assisting tool in cutting of blocks from cellular concrete.

no.	dimensions	pcs.	ean
1709	270x270x270mm	1/10	



### Drill with flange

Wiertło z kołnierzem, Spiralbohrer

Metal, galvanized.  
For drilling in cellular concrete blocks.

no.	dimensions	pcs.	ean
1720	ø 50mm	1/20	
1721	ø 60mm	1/20	
1722	ø 80mm	1/20	
1723	ø 120mm	1/20	



## TOOLS FOR CELLULAR CONCRETE / STIRRERS



### Cellular concrete block trowel

Kielnia do betonu komórkowego, Mörtelkleberkelle - Porenbetonkelle

Ergonomic, shaped two-component handle.

Steel, notched.

For mortar distribution.

no.	dimensions	pcs.	ean
1750	115mm	1/5	
1751	150mm	1/5	
1752	175mm	1/5	
1753	200mm	1/5	
1754	240mm	1/5	

### Cellular concrete block grooving device

Przyrząd do rowkowania, Rillenkratzer - Schlitzkratzer

Ergonomic, shaped two-component handle.

Metal.

For grooving of holes for electric installation in cellular concrete blocks.

no.	dimensions	pcs.	ean
1710	groove width 18mm	1/10	



The presentation  
stirrers



#### MASTER LINE TURBO Mixing Paddle for plaster mortar

Mieszałko Turbo do zapraw gipsowych MASTER LINE

MASTER LINE TURBO Mischpaddel für Putzmörtel

Steel, galvanized rod with M-14 ending.

For plaster mortar.

**Kubala®**  
MASTER LINE



no.	dimensions	pcs.	ean
1222	ø 120mm, length: 600mm	1/10	

#### MASTER LINE TURBO Mixing Paddle for cement mortar

Mieszałko Turbo do zapraw cementowych MASTER LINE

MASTER LINE TURBO Mischpaddel für Zementmörtel

Steel, galvanized rod with M-14 ending.

For cement mortar.

**Kubala®**  
MASTER LINE



no.	dimensions	pcs.	ean
1223	ø 120mm, length: 600mm	1/10	



## STIRRERS



### Joint stirrer

Mieszalnik do fug, Fugenrührer

Steel, galvanized.

Round rod Ø 8mm.

For stirring of joints, including epoxy joints.

no.	dimensions	pcs.	ean
1232	Ø 75mm, length: 300mm	1/10	



### Paint stirrer

Mieszalnik do farb, Farbrührer

Steel, galvanized.

Round rod Ø 8mm.

For stirring of paint.

no.	dimensions	pcs.	ean
1201	Ø 75mm, length: 500mm	1/10	



### Paint stirrer

Mieszalnik do farb, Farbrührer

Plastic working part PP, notched from the bottom.

Steel rod, galvanized, hexagonal 8mm.

For stirring of paint.

no.	dimensions	pcs.	ean
1203	Ø 80mm, length: 500mm	1/10	



### Paint stirrer

Mieszalnik do farb, Farbrührer

Steel, galvanized.

Hexagonal rod 8mm (1225, 1226), 10mm (1227, 1228).

For stirring of paint.

no.	dimensions	pcs.	ean
1225	Ø 60mm, length: 400mm	1/10	
1226	Ø 80mm, length: 400mm	1/10	
1227	Ø 100mm, length: 590mm	1/10	
1228	Ø 115mm, length: 590mm	1/10	

### **Paint and glue stirrer**

Mieszalnik do farb i klejów, Mischer für Farben und Klebern

Working part made by polyamide with fiberglass, notched from the bottom.  
Steel rod, galvanized, hexagonal 10mm (1216).

Steel rod, galvanized, round with M-14 ending 12,5mm (1217)  
For stirring of paint and fine grain glue.



no.	dimensions	pcs.	ean
1216	ø 100mm, length: 500mm	1/10	
1217	ø 125mm, length: 600mm	1/10	



### **Mortal stirrer**

Mieszalnik do wylewek, Mörtelrührer

Steel, galvanized.

Hexagonal rod 10mm.

For stirring of paint, plasters and levellings.  
Does not aerate the substance.



no.	dimensions	pcs.	ean
1220	ø 120mm, length: 660mm	1/10	



### **Mortar stirrer**

Mieszalnik do zapraw, Mörtelrührer

Steel, galvanized.

Hexagonal rod 8mm (1233, 1234).

Round rod ø 10mm with M-14 ending (1236).

Round rod ø 10mm with SDS ending (1235).

For stirring of mortars and glue.



no	dimensions	pcs.	ean
1233	ø 80mm, length: 500mm	1/10	
1234	ø 100mm, length: 500mm	1/10	
1235	ø 100mm, length: 500mm	1/10	
1236	ø 120mm, length: 600mm	1/10	



### **Mortal stirrer**

Mieszalnik do zapraw, Mörtelrührer

Steel, galvanized.

Round rod ø 8mm (1207), ø 10mm (1208),

ø 12,5mm with M-14 ending (1213),

ø 10mm with SDS ending (1230).

For stirring of mortars and glue.



no.	dimensions	pcs.	ean
1207	ø 80mm, length: 500mm	1/10	
1208	ø 90mm, length: 500mm	1/10	
1213	ø 95mm, length: 600mm	1/10	
1230	ø 90mm, length: 500mm	1/10	



## STIRRERS / CONTAINERS



### Mortar stirrer "double spiral"

Mieszalnik do zapraw "spirala podwójna", Mörtelrührer

Steel, galvanized.

Hexagonal rod 8mm (1209, 1210).

Round rod ø 12,5mm with M-14 ending (1211).

Round rod ø 10mm with SDS ending (1231).

For stirring of plasters, mortars and glue.

no.	dimensions	pcs.	ean
1209	ø 70mm, length: 500mm	1/10	
1210	ø 95mm, length: 500mm	1/10	
1211	ø 130mm, length: 600mm	1/10	
1231	ø 95mm, length: 500mm	1/10	



### Mortar stirrer M-14

Mieszalnik do zapraw M-14, Mörtelrührer

Steel, galvanized.

Round rod ø 12,5mm with M-14 ending.

For stirring of mortars and glue.

no.	dimension	pcs.	ean
1218	ø 135mm, length: 600mm	1/10	



### Mortar stirrer "spiral"

Mieszalnik do zapraw "spirala", Mörtelrührer

Steel, galvanized.

Round rod ø 8mm (1202), ø 10mm (1204),

ø 12,5mm with M-14 ending (1206).

For stirring of mortars and glue.

no.	dimensions	pcs.	ean
1202	ø 110mm, length: 500mm	1/10	
1204	ø 150mm, length: 600mm	1/10	
1206	ø 140mm, length: 600mm	1/10	



### M14 Extension for mixing paddle

Przedłużka do mieszadeł M-14, Adapter

Extension for mixing paddle with M-14 ending.

For tall users to improve work ergonomics.

no.	dimensions	pcs.	ean
1212	147mm	1/10	

### Container for gypsum

Pojemnik do gipsu 2l, Gipsbecher  
Made of polyamide with fiberglass  
For gypsum.



no.	dimensions	pcs.	ean
1515	length: 350mm width: 120mm height: 95mm capacity: 2l	1/10	

### Container for gypsum, high

Pojemnik do gipsu, Gipsbecher  
Plastic - rubber.  
For gypsum stirring.



no.	dimensions	pcs.	ean
1516	capacity: 0,5l	1/20	

### Container for gypsum with stand

Pojemnik do gipsu z podstawką, Gipsbecher  
Plastic - rubber container.  
Stand ø 130mm: plastic PP.  
For gypsum stirring. The plastic part allows to maintain  
the container's stability during mixing  
and application of gypsum. Easy to clean.



no.	dimensions	pcs.	ean
1511	capacity: 0,5l	1/20	
1518	capacity: 0,5l with stand	1/10	

### Plastic container

Pojemnik z tworzywa, Gipsbecher  
Plastic PP.  
Handy container with handle for stirring gypsum or paint.



no.	dimensions	pcs.	ean
1514	capacity: 1,5l	1/10	



## CONTAINERS



1500



### Poliamid scoop

Czerpak z poliamidu z włóknem szklanym, Mörtelschöpfer  
Ergonomic, shaped, two-component handle.  
Working part made of polyamide with fiberglass.  
Hanging hook on the container.  
For construction works, particularly bricklaying and plastering (applying the mortar layer).

no.	dimensions	pcs.	ean
1531	ø 170mm, capacity 0,9l	1/10	5 907798 015303

### Plastic scoop

Czerpak z tworzywa, Mörtelschöpfer  
Plastic PP.  
Hanging hook on the container.  
For construction works, particularly bricklaying and plastering (applying the mortar layer).

no.	dimensions	pcs.	ean
1530	ø 170mm, capacity 0,9l	1/10	5 907798 015307



### Metal scoop

Czerpak metalowy, Mörtelschöpfer  
Ergonomic, shaped handle made of beech wood with the FSC cecilificate. Working part made from metal, galvanized.  
Hanging hook on the container.  
For construction works, particularly bricklaying and plastering (applying the mortar layer - spraying).

no.	dimensions	pcs.	ean
1510	ø 170mm, capacity 0,9l	1/10	5 907798 015108

### Plastic bucket

Wiadro z tworzywa, Kunststoffeimer  
Plastic PP. Metal handle.  
Litre scale.  
Bucket (1500) with funnel.  
For construction and finishing works.

no.	dimensions	pcs.	ean
1500	capacity: 12l	1/1	5 907798 015008
1501	capacity: 12l	1/1	5 907798 015018
1502	capacity: 16l	1/1	5 907798 015028
1503	capacity: 20l	1/1	5 907798 015038

### Plastic construction tub

Kasta budowlana, Kunststoffkasten

Plastic PP.

Litre scale.

For construction and finishing works.

no.	dimensions	pcs.	ean
1517	capacity: 45l	1/1	
1504	capacity: 65l	1/1	
1505	capacity: 90l	1/1	



### Plastic construction container, round

Pojemnik budowlany, Kunststoffbehälter

Plastic PP.

Litre scale.

For construction and finishing works.

no.	dimensions	pcs.	ean
1506	capacity: 45l	1/1	
1507	capacity: 65l	1/1	
1508	capacity: 90l	1/1	



### Glazing bucket 16l

Wiadro glazurnicze, Fliesenleger Waschbox

Plastic PP.

Easy connection of rollers and bucket with patented installation system.

Bucket, grid, wheels (2 pieces) – 1 set. The rollers are sold separately. For tile cleaning after pointing.

no.	dimensions	pcs.	ean
1520	bucket, grid, wheels	1/1	
1521	rollers for 1520	1/20	



### Rectangular bucket 20l

Wiadro prostokątne, Fliesenleger Waschbox

Plastic PP.

Easy connection of rollers and bucket with patented installation system.

Bucket, rollers, grid, wheels – sold separately. For cleaning of tiles after pointing.

no.	dimensions	pcs.	ean
1512	bucket	1/1	
1513	rollers	1/20	
1519	grid	1/20	
1627	wheels (4 pieces)	1/20	





1534



### Glazing bucket 20l

Wiadro glazurnicze, Fliesenleger Waschbox

Plastic PP.

Easy connection of rollers and bucket with patented installation system.

Bucket, grid, wheels (2 pieces) – 1 set. The rollers are sold separately. For tile cleaning after pointing.

no.	dimensions	pcs.	ean
1524	bucket, grid, wheels	1/1	5 0 7 7 9 8 1 5 1 5 2 9 1
1525	rollers for 1524	1/20	5 0 7 7 9 8 1 5 1 5 3 5 1
1529	tripple rollers for 1524	1/15	5 0 7 7 9 8 1 5 1 5 2 9 1

### Mini glazing set

Komplet glazurniczy mini, Fliesenleger - Set

Plastic PP.

Easy connection of rollers and bucket with patented installation system.

Bucket volume 16l, grid, wheels (2 pieces), rollers - set. For cleaning of tiles after pointing.

no.	dimensions	pcs.	ean
9907	set	1/1	5 0 7 7 9 8 1 5 9 9 0 7 9

### Glazing set

Zestaw glazurniczy, Fliesenleger - Set

The set contains:

1524 - bucket 20l with wheels and grid

1525 - rollers

0387 - float with incised sponge

0325 - pointing float.

no.	dimensions	pcs.	ean
9901	set	1/1	5 0 7 7 9 8 1 5 9 9 0 7 9

### Bucket with a lid and a scale made of plastic

Wiadro z tworzywa z pokrywką i podziałką, Kunststoffeimer  
Plastic PP..

Convenient handles on the sides of the bucket, additional metal handle next to the bucket catalog number 1532.

Bucket 1534 - transparent.

Bucket with a lid and a scale.

For construction and finishing works.

no.	dimensions	pcs.	ean
1532	capacity: 20l	1/1	5 0 7 7 9 8 1 5 5 5 2
1533	capacity: 33l	1/1	5 0 7 7 9 8 1 5 1 5 3 3
1534	capacity: 5l	1/1	5 0 7 7 9 8 1 5 1 5 3 4 5

## VENTING SPIKED ROLLER

### Venting roller

Venting roller, Handstachelwalze

Plastic PE.

Roller diameter 75mm, pin height 17mm.

Metal handle, 2K grip soft with a hole for a telescopic stick.  
For distribution and venting of self-adjusting levellings,  
fine- and medium-layered, including epoxy levellings.

no.	dimensions	pcs.	ean
1618	230mm	1/15	



### Venting roller

Przyrząd do odpowietrzania wylewek, Handstachelwalze

Plastic PE.

Roller diameter 75mm, pin height 17mm.

Metal handle, plastic grip with a place for the telescopic stick.  
For distribution and venting of self-adjusting levellings,  
medium - and thick-layered.

no.	dimensions	pcs.	ean
1666	500mm	1/4	
1667	700mm	1/4	



### Venting roller

Przyrząd do odpowietrzania wylewek, Handstachelwalze

Plastic PE.

Roller diameter 123mm, pin height 40mm.

Metal handle, plastic grip with a place for the telescopic stick.  
For distribution and venting of self-adjusting levellings,  
medium - and thick-layered.

no.	dimensions	pcs.	ean
1621	230mm	1/10	



### Venting roller

Przyrząd do odpowietrzania wylewek, Handstachelwalze

Plastic PE.

Roller diameter 123mm, pin height 40mm.

Metal handle, plastic grip with a place for the telescopic stick.  
For distribution and venting of self-adjusting levellings,  
medium - and thick-layered.

no.	dimensions	pcs.	ean
1668	500mm	1/4	
1669	700mm	1/2	





### Venting roller

**Przyrząd do odpowietrzania wylewek, Handstachelwalze**  
Plastic PE.

Roller diameter 85mm, pin height 20mm.

Metal handle, plastic grip with a place for the telescopic stick.  
Working part made from one piece which makes it easier to clean.  
For distribution and venting of self-adjusting levellings,  
medium-layered.

no.	dimensions	pcs.	ean
1694	230mm	1/15	

### Venting roller

**Przyrząd do odpowietrzania wylewek, Handstachelwalze**  
Plastic PE.

Roller diameter 85mm, pin height 20mm.

Metal handle with a place for the telescopic stick.  
For distribution and venting of self-adjusting  
levellings, medium-layered.

no.	dimensions	pcs.	ean
1670	460mm	1/2	

### Venting roller with cover

**Przyrząd do odpowietrzania wylewek z osłoną, Handstachelwalze**  
Plastic PE, cover: PS.

Roller diameter 85mm, pin height 20mm.

Plastic handle with cover. The cover protects against  
the spattering of the levelling. For distribution  
and venting of self-adjusting levellings, medium-layered.

no.	dimensions	pcs.	ean
1697	240mm	1/10	

### Venting soles

**Podeszwy do wylewek, Stachelschuhe**  
Plastic PP.

Intended for mounting on shoes.

For walking on self-adjusting levellings,  
during its distribution and venting.

no.	dimensions	pcs.	ean
9910	pin height 25mm	1/4pairs	
9911	pin height 30mm	1/4pairs	

## OTHER TOOLS

### Pointing support

**Podstawka do spoinowania poziom, Vorratsschaufel für Fugenmaterial**  
 Ergonomic, shaped handle made of beech wood with the  
 FSC cecificate. Working part made of metal, galvanized.  
 Supporting tool in clinker brick joint pointing.



no.	dimensions	pcs.	ean
1610	150x305x15mm	1/10	



### Plastic base for mortars

**Podstawka do zapraw, Vorratsschaufel für Mörtel**  
 Plastic working part PS.  
 Ergonomic, shaped two-component handle.  
 Supporting tool in finishing works, particularly at heights.  
 The mortar applied on the tool is further applied on the surface.



no.	dimensions	pcs.	ean
9917	330x330mm	1/6	



### Pointing support, vertical-horizontal

**Podstawka do spoinowania, pion-poziom, Vorratsschaufel für Fugenmaterial**  
 Ergonomic, shaped handle made of beech wood with the  
 FSC cecificate. Working part made of metal, galvanized.  
 Supporting tool in clinker brick joint pointing. For pointing  
 horizontal and vertical joints.



no.	dimensions	pcs.	ean
1612	280x160x60mm	1/10	



### Mitre box

**Skrzynka uciosowa, Leistenschneidegerät**  
 Plastic PS.  
 For band cutting at an angle of 90° and 45°.



no.	dimensions	pcs.	ean
1644	250x80x50mm	1/10	
1645	300x115x65mm	1/10	



## OTHER TOOLS



### Nail with presser

Gwoździe z dociskiem, Putzhaken

Made of steel, varnished.

Put to use during masonry and plaster work.

no.	dimensions	pcs.	ean
1643	150mm	1/20	



### Metal hole cutter

Wycinak do otworów, Fliesenlochbohrer

Metal. Edge made of cemented carbide.

Adjustment of the cutting: 30-90mm. For cutting holes in ceramic materials up to 4 abrasion resistance class. For installing in the handle of a manual screwdriver.

no.	dimensions	pcs.	ean
1615	Ø 30-90mm	1/25	



### Knee pad

Nakolanniki, Kniesthoner

Made of cellular plastic (rubber), with adjusted rubber fastenings.

One set 2 pieces.

For glazing and paving works.

no.	dimensions	pcs.	ean
1646		1/8pair	



### Manson's line

Sznurek murarski, Maurerschnur

Polyethylene 9909, 9922, 9923, 9924, 9926.

Polyurethane 9928.

For glazing and paving works.

no.	dimensions	pcs.	ean
9909	white, length 100m, Ø 1mm	1/12	
9922	red, length 100m, Ø 1mm	1/12	
9923	green, length 100m, Ø 1mm	1/12	
9924	red, length 50m, Ø 1,7mm	1/12	
9926	red, length 100m, Ø 1,7mm	1/12	
9928	red, length 50m, Ø 1mm	1/12	



## Measuring tape

Miara zwijana, Taschenbandmaß



no.	dimensions	pcs.	ean
1320	3m	1/12	
1321	5m	1/8	

A wrist strap attached to the item, for easy carrying  
Made of ABS&TPR for increased shock absorption  
Double side printed blade



Compact housing size  
Ergonomic tape locking system  
Nylon coated blade improves abrasion resistance



## Folding wooden ruler

Miara składana drewniana, Holzzollstöcke

Beech wood. Side fittings made of hardened steel strip.

Double-sided metric scale. 90°angle locking.

Varnished wood - protects against moisture, sunlight and mechanical wear.



no.	dimensions	pcs.	ean
1325	2 m	1/50	



## Anodised level

Poziomnica anodowana, Anodierte Wasserwaage

Shockproof indicators. Shockproof rubber end caps.

Precision 0,029 = 0,5mm/m. UV resistant.



no.	dimensions	pcs.	ean
1340	30cm	1/5	
1341	40cm	1/5	
1342	50cm	1/5	
1343	60cm	1/5	
1344	80cm	1/5	
1345	100cm	1/5	
1346	120cm	1/5	
1347	150cm	1/5	
1348	200cm	1/5	



## OTHER TOOLS



### Red level

Poziomnica czerwona, Rote Wasserwaage

Shockproof indicators. Shockproof rubber end caps.  
Precision 0,029 = 0,5mm/m. UV resistant.

dimensions	pcs.	ean
30cm	1/5	5 0 0 7 7 9 8 4 5 1 3 3 0 3
40cm	1/5	5 0 0 7 7 9 8 4 5 1 3 3 0 0
50cm	1/5	5 0 0 7 7 9 8 4 5 1 3 3 0 7
60cm	1/5	5 0 0 7 7 9 8 4 5 1 3 3 0 5
80cm	1/5	5 0 0 7 7 9 8 4 5 1 3 3 0 1
100cm	1/5	5 0 0 7 7 9 8 4 5 1 3 3 0 9
120cm	1/5	5 0 0 7 7 9 8 4 5 1 3 3 0 6
150cm	1/5	5 0 0 7 7 9 8 4 5 1 3 3 0 2
200cm	1/5	5 0 0 7 7 9 8 4 5 1 3 3 0 8



### Red level PROFI

Poziomnica czerwona PROFI, Rote Wasserwaage PROFI

Shockproof indicators. Shockproof end caps. Lifetime guarantee on vials. Milled bottom (30 - 120cm). UV resistant.  
Three indicators (120 - 200cm). Precision 0,029 = 0,5mm/m.

no.	dimensions	pcs.	ean
1350	30cm	1/10	5 0 0 7 7 9 8 4 5 1 3 3 0 9
1351	40cm	1/10	5 0 0 7 7 9 8 4 5 1 3 3 1 8
1352	50cm	1/10	5 0 0 7 7 9 8 4 5 1 3 3 0 5
1353	60cm	1/10	5 0 0 7 7 9 8 4 5 1 3 3 0 2
1354	80cm	1/10	5 0 0 7 7 9 8 4 5 1 3 3 0 8
1355	100cm	1/10	5 0 0 7 7 9 8 4 5 1 3 3 0 6
1356	120cm	1/10	5 0 0 7 7 9 8 4 5 1 3 3 0 4
1357	150cm	1/10	5 0 0 7 7 9 8 4 5 1 3 3 0 0
1358	200cm	1/10	5 0 0 7 7 9 8 4 5 1 3 3 0 7

### Distance piece

Rozpierak montażowy, Türspanner, Verstellbar

Metal.

Plastic jacking feet, rubber clamping surface.  
Width adjustment in the range of 620-960 mm.  
For installing window and door frames.

no.	dimensions	pcs.	ean
1629	670-970mm	1/20	5 0 0 7 7 9 8 4 5 1 6 2 9 9



### Universal distance piece

Uniwersalny rozpierak montażowy, Türspanner, Verstellbar  
Metal.

Plastic jacking feet, rubber clamping surface.  
Width adjustment in the range of 670-1200 mm.  
For installing window and door frames.

no.	dimensions	pcs.	ean
1830	670-1200mm	1/6	5 0 0 7 7 9 8 4 5 1 8 3 0 9

### Distance piece foot

Stopka do ropieraka, Fuß des expanders  
 Plastic jacking feet, rubber clamping surface.  
 Can be attached to the lock expander 1629 i 1830.



no.	dimensions	pcs.	ean
1635		1/20	




### Derby float

Łatka tynkarska, Trapezförmige Anschlagplatte  
 Aluminium.  
 For construction and bricklaying works.



no.	dimensions	pcs.	ean
1304	1000mm	1/1	
1305	1500mm	1/1	
1306	2000mm	1/1	
1307	2500mm	1/1	
1308	1000mm	1/1	
1309	1500mm	1/1	
1310	2000mm	1/1	
1311	2500mm	1/1	



### GLAZING TOOLS

## System for tiles levelling, SMART LEVEL

Smart Level is an innovative system  
 increasing the work efficiency and precision of laying tiles  
 and appropriate ergonomics  
 of particular elements guaranteean ideal final effect.



### Magnetic tile holder

Uchwyt magnetyczny do glazury, Magnethalterung für Fliesen  
 Metal with magnet.  
 One set 4 pieces.  
 For mounting on ceramic tiles to form  
 'inspection windows'.



no.	dimensions	pcs.	ean
1800		1/25	





### Smart Level - Start set

Smart Level zestaw startowy, Smart Level start satz

The set contains:


- clips 1mm - 100psc,
- wedges - 50psc.

Tiles levelling system elements for tile thickness of: 3-16mm.

no.	dimensions	pcs.	ean
1898		1/6	



Grubość płytki



1892




1868



1893



1894



### Smart Level - Clips

Smart Level - klipsy, Smart Level - Clipse

Package includes 100 pieces of spacer clips.


High work efficiency and precision when laying tiles the appropriate construction of the clip makes it easy to remove it after work. Temperature changes have no effect on breaking.

Tiles levelling system elements for tile thickness of: 3-16mm.

no.	dimensions	pcs.	ean
1892	1mm	1/15	
1868	1,5mm	1/15	
1893	2mm	1/15	
1894	3mm	1/15	



Grubość płytki



### Smart Level - Clips HIGH

Smart Level - klipsy wysokie, Smart Level - Clipse HOCH

Package includes 100 pieces of spacer clips.

High work efficiency and precision when laying tiles the appropriate construction of the clip makes it easy to remove it after work. Temperature changes have no effect on breaking.

Tiles levelling system elements for tile thickness of: 12-21mm.

no.	dimensions	pcs.	ean
1889	1mm	1/15	



### Smart Level - Wedges

Smart Level - kliny, Smart Level - Keile

Universal wedges fit the clips 1892, 1893, 1894, 1889, 1868.

The high strength of the wedges makes them reusable high work efficiency and precision when laying tiles Tiles levelling system elements for tile thickness of: 3-16mm and 12-21mm.

no.	dimensions	pcs.	ean
1895	bag (50pcs)	1/15	
1896	box (100pcs)	1/6	

### Smart Level- Clips, packaging XXL

Klipsy SMART LEVEL, opakowanie XXL,  
 Smart Level - Clipse, verpackung XXL  
 Package includes 500 pieces of clips.  
 Tiles leveling system, in the range of 3-16mm.

no.	dimensions	pcs.	ean
1817	1mm (pkg. 500psc)	1/1	
1818	1,5mm (pkg. 500psc)	1/1	
1819	2mm (pkg. 500psc)	1/1	
1820	3mm (pkg. 500psc)	1/1	




1817



1818



1819



1820



### Smart Level - Clips + plastic bucket 20l,

Klipsy SMART LEVEL + wiadro z tworzywa 20l,  
 Smart Level - Clipse + kunststoffeimer 20l  
 Package includes 800 pieces of clips.  
 Tiles leveling system, in the range of 3-16mm.


no.	dimensions	pcs.	ean
1885	1mm (pkg. 800psc)	1/1	
1869	1,5mm (pkg. 800psc)	1/1	
1886	2mm (pkg. 800psc)	1/1	
1887	3mm (pkg. 800psc)	1/1	



### Smart Level MINI - Clips HIGH

Smart Level MINI - klipsy, Smart Level MINI - Clipse HOCH  
 Package includes 100 pieces of clips..  
 High work efficiency and precision when laying tiles  
 the appropriate construction of the clip makes it easy  
 to remove it after work. Temperature changes have  
 no effect on breaking.  
 Tiles levelling system elements for tile thickness of: 3-14mm.

no.	dimensions	pcs.	ean
1812	1mm (100 psc)	1/20	



### Smart Level MINI - Wedges

Smart Level MINI - Kliny, Smart Level MINI - Keile  
 For Clips SMART LEVEL MINI 1812.High work efficiency and  
 precision when laying tiles the appropriate construction of the  
 clip makes it easy to remove it after work. Temperature changes  
 have no effect on breaking. Tiles levelling system elements for tile  
 thickness of: 3-14mm.  
 For clamping the Smart Level MINI system.

no.	dimensions	pcs.	ean
1815	bag (100 psc.)	1/18	



## GLAZING TOOLS



replaceable part is only intended for pliers, under catalog number 1897



1899



### Replaceable part for pliers - SMART LEVEL MINI

Końcówka do kleszczy - smart level MINI,  
Türspanner, Verstellbar

Replaceable part for the pliers is only intended for Kubala pliers available under catalog number 1897.

no.	dimensions	pcs.	ean
1816		1/40	

### Pliers

Kleszcze zaciskowe, Klemmzange  
For the Smart Level system.

no.	dimensions	pcs.	ean
1897	PP	1/5	
1899	PP + metal	1/5	

### Rubber hammer SMART

Młotek gumowy SMART , Gummihammer

Rubber head ,wooden shaft. Construction and tiling works, (removing clips SMART LEVEL).

no.	dimensions	pcs.	ean
1842	300 g	1/6	

### Anti-scratch pads, SMART

Podkładki SMART,, Schutz-Pad für Fliesenniveliersystem  
PP material. Transparent pads for the SMART LEVEL system prevent possible scratching of sensitive tiles.

no.	dimensions	pcs.	ean
1884	pkg. 50 pcs.	1/12	

## Tile spacers SMART



### Krzyżyki dystansowe SMART,

Package includes 100 pieces of tile spacers

SMART tile spacers:

- plastic material : PS
- multiple use, easy to install, stabilize the tile, easy to remove from the joint
- do not lose their dimensions upon removal
- can be applied in corners
- 2 in 1 cross and "T" spacer
- for glazing tiles



no.	dimensions	pcs.	ean
1881	1mm (sack-100pcs)	1/20	
1882	2mm (sack-100pcs)	1/20	
1883	3mm (sack-100pcs)	1/18	

1882

1883



PS



## Tile spacers

### Krzyżyki dystansowe, Fliesenkreuze

Plastic: PS. For tiling.

no.	dimensions	pcs.	ean
1850	1mm (sack-150pcs)	1/50	
1851	1,5mm(sack-150pcs)	1/50	
1852	2mm (sack-125pcs)	1/50	
1853	2,5mm(sack-100pcs)	1/50	
1854	3mm (sack-90pcs)	1/50	
1855	3,5mm (sack-90pcs)	1/50	
1856	4mm (sack-70pcs)	1/50	
1857	5mm (sack-70pcs)	1/50	
1858	6mm (sack-50pcs)	1/50	
1859	8mm (sack-30pcs)	1/50	
1860	10mm (sack-30pcs)	1/50	

## Tile spacers with a holder

### Krzyżyki dystansowe z uchwytem, Fliesenkreuze mit Handgriff

Plastic: PS. For tiling.

no.	dimensions	pcs.	ean
1870	1mm (sack-100pcs)	1/50	
1871	1,5mm(sack-100pcs)	1/50	
1872	2mm (sack-70pcs)	1/50	
1873	2,5mm (sack-70pcs)	1/50	
1874	3mm (sack-70pcs)	1/50	
1875	3,5mm (sack-70pcs)	1/50	
1876	4mm (sack-70pcs)	1/50	
1877	5mm (sack-70pcs)	1/50	
1878	6mm (sack-50pcs)	1/50	
1879	8mm (sack-50pcs)	1/50	
1880	10mm (sack-40pcs)	1/50	



PS

## Wedges

### Kliny, Fliesenkeile

Plastic: PS. For tiling.

no.	dimensions	pcs.	ean
1890	small(sack-100pcs)	1/200	
1891	big (sack-40pcs)	1/200	



PS

## ECO LINE



2602  
2603  
2604  
2605  
2606



2612  
2613  
2614  
2615  
2616



2622



### **Stainless steel trowel**

#### **Paca nierdzewna, Glättekelle, Edelstahl**

Ergonomic, shaped handle made of wood and plastic composite (40% wood, 40% polypropylene, 15% glass, 5% fillers), wooden structure – resistance properties of plastics. Stainless, acid resistant steel: 0,7mm.

For applying of gypsum plasters, mortars and adhesives (2601).  
For distribution of adhesive mortars (2602, 2603, 2604, 2605, 2606).

no.	dimensions	pcs.	ean
2601	130x270mm, smooth	1/10	
2602	130x270mm, notch 4x4	1/10	
2603	130x270mm, notch 6x6	1/10	
2604	130x270mm, notch 8x8	1/10	
2605	130x270mm, notch 10x10	1/10	
2606	130x270mm, notch 12x12	1/10	

### **Stainless steel trowel**

#### **Paca nierdzewna, Glättekelle, Edelstahl**

Ergonomic, shaped handle made of beech wood, impregnated, on jacking feet made by polyamide with fiberglass. Stainless, acid resistant steel: 0,7mm.

For applying of gypsum plasters, mortars and adhesives (2611).  
For distribution of adhesive mortars (2612, 2613, 2614, 2615, 2616).

no.	dimensions	pcs.	ean
2611	130x270mm, smooth	1/10	
2612	130x270mm, notch 4x4	1/10	
2613	130x270mm, notch 6x6	1/10	
2614	130x270mm, notch 8x8	1/10	
2615	130x270mm, notch 10x10	1/10	
2616	130x270mm, notch 12x12	1/10	

### **Stainless steel trowel**

#### **Paca nierdzewna, Glättekelle, Edelstahl**

Ergonomic, shaped handle made of wood and plastic composite (40% wood, 40% polypropylene, 15% glass, 5% fillers), wooden structure – resistance properties of plastics. Stainless, acid resistant steel: 0,7mm.

For applying of gypsum plasters, mortars and adhesives (2621, 2623).

For distribution of adhesive mortars and adhesives for net in thermal insulation works (2622).

no.	dimensions	pcs.	ean
2621	130x480mm, smooth	1/4	
2623	130x405mm, smooth	1/4	
2622	130x480mm, notch 10x10	1/4	

### **Stainless steel trowel, smooth**

#### **Paca nierdzewna, Aufziehglätte, Edelstahl, glatt**

Ergonomic, shaped handle made of beech wood, impregnated. Stainless, acid resistant steel: 0,7mm.

For applying of gypsum plasters, mortars and adhesives.

no.	dimensions	pcs.	ean
2624	130x580mm	1/4	
2625	130x680mm	1/4	

### **Stainless steel spatula**

Szpachla nierdzewna, Gipspachtel, Edelstahl

Ergonomic, shaped handle made of wood and plastic composite (40% wood, 40% polypropylene, 15% glass, 5% fillers), wooden structure – resistance properties of plastics. Stainless, acid resistant steel: 0,4mm.

For construction and finishing works.



no.	dimensions	pcs.	ean
2651	200mm	1/20	
2652	300mm	1/25	
2653	450mm	1/20	



### **Stainless steel spatula**

Szpachla nierdzewna, Gipspachtel, Edelstahl

Ergonomic, shaped handle made of wood and plastic composite (40% wood, 40% polypropylene, 15% glass, 5% fillers), wooden structure – resistance properties of plastics. Stainless, acid resistant steel: 0,5mm.

For construction and finishing works.



no.	dimensions	pcs.	ean
2661	40mm	1/20	
2662	60mm	1/20	
2663	80mm	1/20	
2664	100mm	1/20	



### **Stainless steel spatula**

Szpachla nierdzewna, Gipspachtel, Edelstahl

Ergonomic, shaped handle made of wood and plastic composite (40% wood, 40% polypropylene, 15% glass, 5% fillers), wooden structure – resistance properties of plastics. Stainless, acid resistant steel: 0,5mm.

For construction and finishing works.



no.	dimensions	pcs.	ean
2671	100mm	1/20	
2672	120mm	1/20	
2673	140mm	1/20	
2674	160mm	1/20	
2675	180mm	1/20	
2676	200mm	1/20	
2677	220mm	1/20	



### **Composite float with sponge**

Paca z kompozytu z gąbką, Reibe Brett, Schwammauflage

Ergonomic, shaped handle made of wood and plastic composite (40% wood, 40% polypropylene, 15% glass, 5% fillers), wooden structure – resistance properties of plastics. Pad dense sponge, thickness: 20mm (2641).

Pad sponge with pores, dense, incised, thickness: 30mm (2642). For tile cleaning after pointing.



no.	dimensions	pcs.	ean
2641	140x280mm	1/12	
2642	140x280mm	1/12	

2642

2641



2



# PAINTING TOOLS



## PAINTBRUSHES



### Flat universal paintbrush ECO LINE

Pędzel płaski uniwersalny Universalpinsel

Ergonomic, shaped handle made of wood and plastic composite (40% wood, 40% polypropylene, 15% glass, 5% fillers), wooden structure – resistance properties of plastics. Working part - composition 30/70, bristle 60% and fibre X-shape. For painting with all kinds of paints.

no.	dimensions	pcs.	ean
4601	30mm	1/12	5 9 0 7 7 9 8 3 4 6 0 1
4602	40mm	1/12	5 9 0 7 7 9 8 3 4 6 0 2
4603	50mm	1/12	5 9 0 7 7 9 8 3 4 6 0 3
4604	60mm	1/12	5 9 0 7 7 9 8 3 4 6 0 4
4605	70mm	1/12	5 9 0 7 7 9 8 3 4 6 0 5
4606	80mm	1/12	5 9 0 7 7 9 8 3 4 6 0 6
4607	100mm	1/12	5 9 0 7 7 9 8 3 4 6 0 7



### Flat varnish stains paintbrush ECO LINE

Pędzel płaski lakierobejce, Pinsel

Ergonomic, shaped handle made of wood and plastic composite (40% wood, 40% polypropylene, 15% glass, 5% fillers), wooden structure – resistance properties of plastics. Working part - composition 30/70 bristle 60% and brown fibre mini-hollow. Galvanized ferrule. For painting with wood preservation and decoration products.

no.	dimensions	pcs.	ean
4610	20mm	1/12	5 9 0 7 7 9 8 3 4 6 1 0
4611	30mm	1/12	5 9 0 7 7 9 8 3 4 6 1 1
4612	40mm	1/12	5 9 0 7 7 9 8 3 4 6 1 2
4613	50mm	1/12	5 9 0 7 7 9 8 3 4 6 1 3
4614	60mm	1/12	5 9 0 7 7 9 8 3 4 6 1 4
4615	70mm	1/12	5 9 0 7 7 9 8 3 4 6 1 5
4616	80mm	1/12	5 9 0 7 7 9 8 3 4 6 1 6
4617	100mm	1/12	5 9 0 7 7 9 8 3 4 6 1 7



### Flat water - thinnable paintbrush ECO LINE

Pędzel płaski wodorozcieńczalne, Pinsel

Ergonomic, shaped handle made of wood and plastic composite (40% wood, 40% polypropylene, 15% glass, 5% fillers), wooden structure – resistance properties of plastics. Working part - composition 20/80, bristle 60% and polyester fibre. Galvanized ferrule.

For painting with paints and water-thinnable lacquers.

no.	dimensions	pcs.	ean
4620	20mm	1/12	5 9 0 7 7 9 8 3 4 6 2 0
4621	30mm	1/12	5 9 0 7 7 9 8 3 4 6 2 1
4622	40mm	1/12	5 9 0 7 7 9 8 3 4 6 2 2
4623	50mm	1/12	5 9 0 7 7 9 8 3 4 6 2 3
4624	60mm	1/12	5 9 0 7 7 9 8 3 4 6 2 4
4625	70mm	1/12	5 9 0 7 7 9 8 3 4 6 2 5
4626	80mm	1/12	5 9 0 7 7 9 8 3 4 6 2 6
4627	100mm	1/12	5 9 0 7 7 9 8 3 4 6 2 7



### Decorative paintbrush

Pędzel dekoracyjny, Pinsel

Natural handgrip made of beech wood.

Working part - composition 50/50 bristle 90% and fibre X-shape. Galvanized ferrule.

For venetian clay and decorative paints.

no.	dimensions	pcs.	ean
4561	120mm	1/35	5 9 0 7 7 9 8 3 4 5 6 1
4562	150mm	1/30	5 9 0 7 7 9 8 3 4 5 6 2

### English paintbrush

Pędzel angielski, Englisher Pinsel

Ergonomic two component handgrip.

Working part - composition 50/50 bristle 60% tops and synthetic fibre GOLD. Nickel-plated ferrule.

For painting with all kinds of paints.



no.	dimensions	pcs.	ean
4020	25mm	1/12	
4021	36mm	1/12	
4022	50mm	1/12	
4023	63mm	1/12	
4024	76mm	1/12	



### English paintbrush

Pędzel angielski, Englisher Pinsel

Ergonomic two component handgrip.

Working part - composition 50/50 bristle 60% tops and synthetic fibre GOLD. Nickel-plated ferrule.

For painting with all kinds of paints.



no.	dimensions	pcs.	ean
4025	Ø 14mm	1/12	
4026	Ø 21mm	1/12	
4027	Ø 30mm	1/12	



### Flat universal paintbrush

Pędzel płaski uniwersalny, Universalpinsel

Varnished handgrip made of beech wood.

Working part - composition 50/50 bristle 60% tops and fibre X-shape. Galvanized ferrule.

For painting with all kinds of paints.



no.	dimensions	pcs.	ean
4501	30mm	1/12	
4502	40mm	1/12	
4503	50mm	1/12	
4504	60mm	1/12	
4505	70mm	1/12	



### Flat varnish stains paintbrush

Pędzel płaski - lakierobejce, Pinsel

Varnished handgrip made of beech wood.

Working part - composition 50/50 bristle 60% tops and fibre OREL-T. Galvanized ferrule. For painting with wood preservation and decoration products.



no.	dimensions	pcs.	ean
4511	30mm	1/12	
4512	40mm	1/12	
4513	50mm	1/12	
4514	60mm	1/12	
4515	70mm	1/12	



## PAINTBRUSHES



### Flat water-thinnable paintbrush

Pędzel płaski - wodorozcieńczalne, Pinsel

Varnished handgrip made of beech wood.

Working part - composition 30/70 bristle 60% tops and synthetic fibre. Galvanized ferrule.

For painting with paints and water-thinnable lacquers.

no.	dimensions	pcs.	ean
4521	30mm	1/12	5 0 0 7 7 8 0 4 5 2 1
4522	40mm	1/12	5 0 0 7 7 8 0 4 5 2 2
4523	50mm	1/12	5 0 0 7 7 8 0 4 5 2 3
4524	60mm	1/12	5 0 0 7 7 8 0 4 5 2 4
4525	70mm	1/12	5 0 0 7 7 8 0 4 5 2 5

### Professional English paintbrush

Pędzel profesjonalny, Pinsel

Natural, ergonomic handgrip made of beech wood.

Working part - composition 50/50

bristle 90% tops and fibre X-shape. Nickel-plated ferrule.

For painting with all kinds of paints and lacquers.

no.	dimensions	pcs.	ean
4531	30mm	1/12	5 0 0 7 7 8 0 4 5 2 6
4532	40mm	1/12	5 0 0 7 7 8 0 4 5 2 7
4533	50mm	1/12	5 0 0 7 7 8 0 4 5 2 8
4534	60mm	1/12	5 0 0 7 7 8 0 4 5 2 9
4535	70mm	1/12	5 0 0 7 7 8 0 4 5 3 0

### Round paintbrush "Extra"

Pędzel okrągły "Extra", Flachpinsel "Extra"

Varnished handgrip made of beech wood.

Working part - composition 50/50 bristle 60% tops

and fibre X-shape. Galvanized ferrule.

For painting with all kinds of paints.

no.	dimensions	pcs.	ean
4312	Ø 20mm	1/12	5 0 0 7 7 8 0 4 3 6 1
4314	Ø 30mm	1/12	5 0 0 7 7 8 0 4 3 6 2
4316	Ø 40mm	1/6	5 0 0 7 7 8 0 4 3 6 3
4318	Ø 50mm	1/3	5 0 0 7 7 8 0 4 3 6 4
4320	Ø 60mm	1/3	5 0 0 7 7 8 0 4 3 6 5

### Angular paintbrush "Extra"

Pędzel kaloryferowy, Heizkörperpinsel "Extra"

Varnished handgrip made of beech wood.

Working part - composition 50/50 bristle 60% tops

and fibre X-shape. Galvanized ferrule.

For painting with all kinds of paints.

no.	dimensions	pcs.	ean
4326	25x8mm	1/12	5 0 0 7 7 8 0 4 3 6 6
4327	36x8mm	1/12	5 0 0 7 7 8 0 4 3 6 7
4328	50x8mm	1/12	5 0 0 7 7 8 0 4 3 6 8
4329	63x8mm	1/12	5 0 0 7 7 8 0 4 3 6 9

### Wall paintbrush

#### Pędzel ławkowiec, Deckenbürste

Varnished, ergonomic handgrip made of beech wood.  
Working part - 100% X-shape.  
For painting with water paints, emulsions.



### Wall-paper paintbrush

#### Pędzel tapetówka, Tapetenbürste

Varnished, ergonomic handgrip made of beech wood.  
Working part - composition 50/50 bristle 90% tops  
and fibre X-shape. Galvanized ferrule.  
For painting with all kinds of paints and to wallpaper.



no.	dimensions	pcs.	ean
4551	70mm	1/20	5 0 0 7 9 8 0 4 5 1 9
4552	100mm	1/12	5 0 0 7 9 8 0 4 5 5 2 6
4553	120mm	1/12	5 0 0 7 9 8 0 4 5 5 3 5
4554	140mm	1/10	5 0 0 7 9 8 0 4 5 5 4 0
4555	150mm	1/10	5 0 0 7 9 8 0 4 5 5 5 7
4556	160mm	1/8	5 0 0 7 9 8 0 4 5 5 6 4



## PAINT ROLLERS



### Facade roller GOLD

**Wałek profesjonalny do elewacji GOLD, Fassadenrolle GOLD**  
 Paints a roller sewn with a sponge backing drawn fiber material, thanks to which the hair, even mechanically, cannot be pulled out of the roller. PES plastic.  
 Hair height: 16mm, wire ø 8mm. Roller for painting external plasters with emulsion, latex and silicate.

no.	dimensions	pcs.	ean
4103	180mm	1/20	
4104	230mm	1/20	



### Facade roller GREEN

**Wałek profesjonalny do elewacji GREEN, Fassadenrolle GREEN**  
 Made of drawn fiber, therefore the hair, even mechanically, cannot be pulled out of the roller polyamide made of the highest quality drawn fiber.  
 Hair height: 25mm, wire ø 8mm.  
 Roller for painting external plasters with emulsion, latex and silicate paints.

no.	dimensions	pcs.	ean
4278	180 mm	1/20	
4279	230 mm	1/20	



### Universal roller "golden thread"

**Wałek uniwersalny ZŁOTA NIĆ, Universalrolle "Golden Faden"**  
 Roller made by thermofusion method very durable polyamide fiber by using drawn fiber, the hair cannot be torn off the roller.  
 Hair height: 12mm, wire ø 8mm.  
 Roller for indoor painting with emulsion, acrylic and latex paints.

no.	dimensions	pcs.	ean
4135	180mm	1/20	
4136	230mm	1/20	



### Varnishing roller POLYAMID

**Wałek do lakierów na bazie wody POLYAMID, Rolle für wasserlösliche Lacke POLYAMID**  
 The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core the high quality of the product is ensured by the use of thermofusion.  
 Very durable polyamide fiber, resistant to solvents.  
 Hair height: 6mm, wire ø 8mm.  
 Roller for painting with oil paints, varnishes, epoxy paints and priming epoxy and polyester resins.

no.	dimensions	pcs.	ean
4115	180 mm	1/20	
4116	230mm	1/20	

### Standard roller DUOKOLOR

Standard roller DUOKOLOR, Mallerolle für Innenräume DUOKOLOR  
The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core. The high quality of the product is ensured by the use of thermofusion. Very efficient polyester fiber. Hair height: 12mm, wire ø 8mm.  
Roller for painting with emulsion, acrylic and latex paints.



no.	dimensions	pcs.	ean
4123	180 mm	1/20	
4124	230 mm	1/20	

### Varnishing roller NATURAL VELOUR

Wałek do lakierów i farb agresywnych VELUR NATURALNY,  
Mallerolle für aggressive Farben und Lacke NATURAL VELOUR  
The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core. Thermofusion guarantees high product quality. Natural wool 100%.  
Hair height: 5mm, wire ø 8mm. Roller for painting with aggressive paints, water-based varnishes, solvent-based varnishes and thick varnishes.



no.	dimensions	pcs.	ean
4131	180mm	1/20	
4132	230mm	1/20	

### Varnishing roller MIKROFIBRE 9mm

Wałek do farb lateksowych i bejc MICROFIBRA 9mm,  
Malerrolle für Latexfarben MICROFIBRE  
The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core. The high quality of the product is ensured by the use of thermofusion. High quality microfiber. Hair height: 9mm, wire ø 8mm.  
Roller for painting with latex, stain and varnish paints.



no.	dimensions	pcs.	ean
4272	180 mm	1/20	
4273	230 mm	1/20	

### Varnishing roller Microfibre 12mm

Wałek do farb lateksowych i bejc 12mm, Malerrolle für Latexfarben  
The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core.  
High quality microfiber. Hair height: 12mm, wire ø 8mm.  
Roller for painting with latex, stain and varnish paints.



no.	dimensions	pcs.	ean
4119	180mm	1/20	
4120	230mm	1/20	

## PAINT ROLLERS



### Varnishing roller MIKROFIBRE 16mm

Wałek do farb lateksowych i bejc MICROFIBRE 16mm,  
Malerrolle für Latexfarben MICROFIBRE

The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core. The high quality of the product is ensured by the use of thermofusion. High quality microfiber. Hair height: 16mm, wire ø 8mm. Roller for painting with latex, stain and varnish paints.

no.	dimensions	pcs.	ean
4270	180 mm	1/20	
4271	230 mm	1/20	



### Universal roller gold

Wałek Uniwersalny midi ZŁOTA NIĆ, Midi-Universalrolle "Golden Faden"

The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core.

Thermofusion guarantees high product quality. Polyamide. Hair height: 12mm, wire ø 6mm.

Roller for indoor painting with emulsion, acrylic and latex paints.

no.	dimensions	pcs.	ean
4142	100 mm	1/50	
4143	150 mm	1/50	



### Varnishing roller Velour-medium

Wałek do lakierów i farb agresywnych, Mallerolle für Farben und Lacke

The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core. Thermofusion guarantees high product quality. Hair height: 4mm, wire ø 6mm.

Natural wool 100%. Roller for painting with aggressive paints, water-based varnishes, solvent-based varnishes and thick varnishes.

no.	dimensions	pcs.	ean
4154	100mm	1/50	
4155	150mm	1/50	



### Universal roller gold

Wałek mini uniwersalny ZŁOTA NIĆ, Mini-Mallerolle Universal "Gelb Faden"

Roller produced with thermofusion.

Thermofusion guarantees high product quality. Durable polyamide fiber. By using drawn fiber, hair cannot be pulled from roller.

Polyamide. Hair height: 12mm, wire ø 6mm.

Roller for indoor painting with emulsion, acrylic and latex paints.

no.	dimensions	pcs.	ean
4160	60mm, 2-psc.	1/20	
4161	100mm, 2-psc.	1/20	

### Varnishing roller mini VELOUR

Wałek do lakierów i farb agresywnych mini "Velur kremowy",  
Mini-Mallerolle für Farben und Lacke

The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core. Thermofusion guarantees high product quality. Natural wool 100%. Hair height: 4mm, wire ø 6mm. Roller for painting with aggressive paints, water-based varnishes, solvent-based varnishes and thick paints.

no.	dimensions	pcs.	ean
4166	50mm, 2-psc.	1/20	
4167	100mm, 2-psc.	1/20	



### Water-based varnish roller mini POLYAMID

Wałek do lakierów na bazie wody mini POLYAMID, Malerrolle für Latexfarben

The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core. Thermofusion guarantees high product quality. Polyamide.

Hair height: 12mm, wire ø 6mm.  
Roller for painting with silicone and silicate paints and water-based varnishes.

no.	dimensions	pcs.	ean
4277	100 mm, 2-pak	1/20	



### Roller recharge white foam

Wałek gąbkowy, Ersatzroller, weißer Schwamm

White foam, foam diameter 35mm, wire ø 6mm.  
For general application on smooth surfaces,  
for varnish not based on cellulose.

no.	dimensions	pcs.	ean
4171	100 mm, 2-pak	1/20	



### "Flock" roller

Wałek "Flock", Ersatzteile "Flock"

Covered with flock material, which prevents the creation of bubbles during painting. Roller rounded from both sides.  
Roller diameter: 35mm. Wire ø 6mm.  
To be used for acrylic paint and others,  
as well as varnish not based on cellulose.

no.	dimensions	pcs.	ean
4183	100 mm, 2-pak	1/20	



## PAINT ROLLERS / PAINT ACCESSORIES



### Varnishing roller midi MICROFIBRE 9mm

Wałek do farb lateksowych i bejc midi MIKROFIBRA,  
Midi malerrolle für Latexfarben MICROFIBRE

The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core. High quality microfiber. Hair height: 9mm, wire ø 6mm. Roller for painting with latex, stain and varnish paints.

no.	dimensions	pcs.	ean
4274	100 mm	1/50	
4275	150 mm	1/50	



### Varnishing roller mini MICROFIBRE 9mm

Wałek do farb lateksowych i bejc mini MIKROFIBRA  
Mini malerrolle für Latexfarben MICROFIBRE

The roller is made by thermofusion, which consists in permanent welding of the textile material with the roller core. High quality microfiber. Hair height: 9mm, wire ø 6mm. Roller for painting with latex, stain and varnish paints.

no.	dimensions	pcs.	ean
4280	50 mm, 2-pak	1/20	
4276	100 mm, 2-pak	1/20	
4281	150 mm, 2-pak	1/20	



### Corner roller

Wałek do narożników, Eckrolle

Polyacryl.

Hair height: 14mm. Wire ø 6mm.

Roller for painting with wall, facade and acrylic paints.



no.	dimensions	pcs.	ean
4244	ø 100mm	1/10	



### Paint stirrer

Mieszadełko do farb, Farbrührer

Plastic PP.

For paint cans opening, paint mixing and paint roller cleaning.



no.	dimensions	pcs.	ean
0710	280mm	1set(40pcs.)/5	



### Roller handle

Uchwyty do wałka, Griff für Malerrolle

Plastic PP handle.

Wire ø 6mm or ø 8mm.

For any rollers depending on its width.



no.	dimensions	pcs.	ean
4190	50-70mm, ø 6mm	1/20	
4191	100-150mm, ø 6mm	1/20	
4194	180mm, ø 8mm	1/50	
4195	230mm, ø 8mm	1/50	

### Roller handle

Uchwyty do wałka, Griff für Malerrolle

Ergonomic, shaped two-component handle.

Wire ø 6mm or ø 8mm.

For any rollers depending on its width.



no.	dimensions	pcs.	ean
4196	180mm, ø 8mm	1/50	
4197	230mm, ø 8mm	1/50	



## PAINT ACCESSORIES

✓   
PP



### Paint tray

Kuweta, Farbschale

Plastic PP.

For any kind of paint.

Tray size depends on the roller size.

no.	dimensions	pcs.	ean
4201	350x330mm	1/50	
4202	320x260mm	1/10	
4203	260x230mm	1/10	
4204	240x150mm	1/20	
4205	190x110mm	1/10	

✓   
PP



### Paint tray recharge


Zapasy do kuwet, Ersatzteile für Farbschale

The paint tray recharge help to keep the tray clean and use it for many paint colours.

Size of the recharge part depends on the tray size.

no.	dimensions	pcs.	ean
4210	350x330mm	1/100	
4211	320x260mm	1/100	
4212	260x230mm	1/100	
4213	240x150mm	1/100	
4214	190x110mm	1/100	

✓   
PP



### Grid

Kratka, Gitter

Plastic PP.

Grid for extracting excess paint form roller.

Grid size depends on the roller width.

Grid has two handles to hang on the bucket.

no.	dimensions	pcs.	ean
4220	210x250mm	1/20	
4221	260x280mm	1/20	

✓   
EU



### Telescopic stick

Teleskopstange, Kij teleskopowy

Material – powder coated metal. Comprised of two sections. The stick features special reduction adapters which enable easy attachment of painting roller and venting rollers handles.

no.	dimensions	pcs.	ean
4198	2m	1/20	
4199	3m	1/12	

---

**Plastic bucket 14l**

Kunststoffeimer, Wiadro malarskie  
Plastic PP, metal handle.  
Litre scale.  
For painting work.



no.	dimensions	pcs.	ean
4200	14l	1/1	5 907798 342006



---

**Device for cleaning paint rollers and plaster rollers CLEANER**

Przyrząd do czyszczenia wałków malarskich i wałków do gładzi CZYŚCIK,  
Rollenreinigungswerkzeug

Device for cleaning all kinds of rollers, including plaster rollers a tool  
dedicated to drills and screwdrivers. Galvanized steel. Round bar ø 8 mm.  
The mechanical way of cleaning the roller in a bucket is more effective and  
faster than washing the roller under running water.  
Registered design.



no.	dimensions	pcs.	ean
4000	84x550 mm	1/8	5 907798 340002



---


**Device for cleaning paint rollers and plaster rollers CLEANER****+ Varnishing roller MICROFIBRE**

Przyrząd do czyszczenia wałków malarskich i wałków do gładzi CZYŚCIK +  
wałek do farb lateksowych i bejc MIKROFIBRA,, Rollenreinigungswerkzeug +  
Malerrolle für Latexfarben MICROFIBRE

Device for cleaning all kinds of rollers, including plaster rollers a tool  
dedicated to drills and screwdrivers. Galvanized steel. Round bar ø 8 mm.  
The mechanical way of cleaning the roller in a bucket is more effective and  
faster than washing the roller under running water.  
Registered design.

The roller is made by thermofusion, which consists in permanent welding of  
he textile material with the roller core. The high quality of the product is  
ensured by the use of thermofusion. High quality microfiber.

Hair height: 12mm, wire ø 8mm. Roller for painting with latex, stain and  
varnish paints.



no.	dimensions	pcs.	ean
5504	84x550 mm + roller 230 mm	1/8	5 907798 355044



## PROTECTIVE FOIL



### Protective foil STANDARD, thin

Folia ochronna STANDARD, cienka, transparentna, Abdeckfolie HDPE, grammage 75g.

no.	dimensions	pcs.	ean
4701	4x5m=20m <sup>2</sup>	1/50	



### Protective foil STANDARD, medium

Folia ochronna STANDARD, średnia, Abdeckfolie LDPE, grammage 240g.

no.	dimensions	pcs.	ean
4702	4x5m=20m <sup>2</sup>	1/30	



### Protective foil SUPER STRONG, thick

Folia ochronna SUPER STRONG, gruba, Abdeckfolie LDPE, grammage 600g.

no.	dimensions	pcs.	ean
4703	4x5m=20m <sup>2</sup>	1/12	




### Protective foil SUPER STRONG, thick

Folia ochronna SUPER STRONG, gruba, transparentna, Abdeckfolie LDPE, grammage 500g.

no.	dimensions	pcs.	ean
4704	4x5m=20m <sup>2</sup>	1/15	



3



# EXPOSITION SYSTEMS



# Kubala®

# Kubala®



**Kubala®**

**Kubala®**









The Kubala MasterClass is our proprietary project aimed directly at Contractors to support and facilitate their professional development. The Academy conducts training courses that encourage them not to fall into a rut, to look for new solutions and improve their qualifications. We are a manufacturer of construction hand tools, and our offer is constantly expanding. So, it is important to us that Contractors understand why and when it is worth using particular tools. How to increase the work's efficiency and improve the quality of work with the right choice of tool. Our instructors are practitioners who teach how to use the novelties appearing on the market and how to select tools to get spectacular results. The opportunity for personal contact with Contractors during training sessions is also very valuable to us. Thanks to these meetings, we can quickly respond to the needs of Contractors and introduce the best solutions for them. As part of the Kubala MasterClass project, we cooperate with and support finishing industry associations and vocational schools. We believe it is worth expanding knowledge and exchanging experiences, especially in a world that is changing so quickly, and knowledge is outdated by rapidly evolving technology.



A word cloud map where country names are placed within their respective geographical regions. The most prominent words are 'CANADA' at the top, 'UNITED STATES' appearing twice, 'MEXICO', 'BRASIL', and 'ARGENTINA'. Other visible country names include VENEZUELA, COLOMBIA, ECUADOR, PERU, BOLIVIA, CHILE, URUGUAY, PARAGUAY, GUYANA, SURINAME, DOMINICAN REPUBLIC, CUBA, HAITI, MEXICO, BELIZE, GUATEMALA, HONDURAS, EL SALVADOR, NICARAGUA, COSTA RICA, PANAMA, and FRENCH GUIANA.

A word cloud map of the world where country names are shaped like their respective countries. The size of each country's name indicates its population. Russia is the largest country by area and population, followed by China, India, and the United States.



years with  
the Contractors

 **Kubala®**

BUILDING TOOLS MANUFACTURER



[facebook.com/kubalapl](https://www.facebook.com/kubalapl)

[www.kubala.com](http://www.kubala.com)



[instagram.com/kubala.tools](https://www.instagram.com/kubala.tools)

**#kubalatools**